


2017

55

catalog



BORLA[®]



» CONTENTS

- 4 About Borla®
- 6 Choose Your Sound
- 8 Passion & Perfection
- 10 R&D Update
- 11 Borla® Films
- 12 Borla®+Turbo Upgrade Kits
- 14 Borla® CrateMuffler
- 16 Borla® Induction
- 18 Vehicle Applications
- 52 European Applications
- 54 Universal Tips
- 55 Borla® ProXS Mufflers
- 56 Specialty Mufflers, Clamps & Tubing
- 57 Borla® Boomers, Hot Rod Kits & Polish
- 58 XR-1® Raceline
- 59 XR-1® Tuner
- 62 Apparel
- 63 How to Use this Catalog

» **HOW TO
USE THIS
CATALOG**

See page 63



BUILDING EXCITEMENT SINCE 1978

BORLA
EXHAUST



From the historic backroads of Appalachia to the twisting canyons of the Santa Monica Mountains, Borla's operations span the rich variety of the American automotive scene.

Our 100-acre manufacturing and distribution plant in Johnson City, Tennessee employs the country's finest metal workers. Within our world-class research & development center in Oxnard, California, you'll find the industry's top engineers and fabricators.

We are proud to offer a true "Made in the USA" product sold around the world. Everywhere you look, Borla's spirit

of innovation and excitement screams with the same high-volume clarity as our unrivaled exhaust systems.

We are a company of motorheads, and it shows in our products, customer service, industry-leading Million Mile Warranty, and culture. On weekends, the same Borla employees who built your exhaust or helped you with technical support can be found competing at tracks, drag strips, off-road events and car shows.

Unlike any other exhaust brand, Borla® systems are designed from scratch on a vehicle-by-vehicle basis. Every car or truck has unique mechanical and acoustical

properties, all taken into account as we spend countless hours optimizing muffler body shapes, internal core configurations, flow dynamics, sound and more.

For many applications, Borla® gives you a variety of choices for the volume and character of your exhaust note — from a subdued rumble to an all-out roar. See pages 6-7 for more information on our patented sound technologies.

Everything we've learned from racing and street performance over nearly four decades is reflected in each product that leaves our facilities. Along with

the distinctive Borla® "Sound of Power" recognized by motoring enthusiasts everywhere, upgrading your ride with a Borla® exhaust gives you a boost in power and torque, improved fuel economy, longer engine life and refined motorsport styling.

But most of all, Borla® gives you the intoxicating rush that comes with every squeeze of the throttle, the thrill of raging power with every shift, and a heart-pounding soundtrack to match. More than anything else, we understand that we build far more than exhaust systems.

We build excitement.



CHOOSE YOUR SOUND»

The sound of an exhaust provides far more than just ear candy. It's a communications conduit between car and driver. An invaluable link between human and machine. The exhaust sound provides acoustic feedback of engine rpm to aid the driver in critical decisions such as gear selection or throttle input in rev-match shifting.

At Borla®, we understand this concept better than any exhaust manufacturer. Combining patented technology with computer modeling, extensive prototyping and advanced frequency-spectrum analysis tools, Borla® engineers create exhaust systems on a vehicle-by-vehicle basis that best enhance the personality and performance of each car or truck in our catalog.

We also realize that every driver has their own preference for the volume and character of exhaust sound. Which is why many of our applications are available in each of the three sound technologies shown on the right.

To hear and compare our Touring, S-Type and ATAK® exhaust systems for a wide selection of popular vehicles, check out www.youtube.com/borla. You'll discover how Borla's "Sound of Power" gives you the power of sound.




BORLA® TOURING

SOUND: MILD GROWL



HIGH PERFORMANCE WITHOUT THE ROAR

The single-core, high-flow design of Borla's Touring mufflers adds power and driving excitement with a sound that is deep and throaty, but just slightly louder than stock at open throttle. Perfect for the "sleeper" crowd.



Every Borla® muffler is constructed from high-quality austenitic stainless steel for maximum durability.

Packed with the same ultra-durable, continuous strand sound-absorbing composite filament featured in all Borla® mufflers.

SOUND WAVES → **EXHAUST GASES** →
Decibel level range Velocity maintained throughout temperature range


BORLA® S-TYPE

SOUND: AGGRESSIVE PLUS



STRAIGHT-THROUGH POWER

The S-Type's optimized combination of packing filament, straight-through core dimensions, perforation pattern and cylindrical shape delivers the intoxicating Borla® "Sound of Power" with every squeeze of the throttle.



Slim, equidistant space between wide diameter core and muffler wall provides an aggressive and throaty high-performance sound.

No reflective baffles or chambers with a multitude of welds that can fail, just a highly-evolved straight-through design proven to out-flow an empty, straight pipe.

SOUND WAVES → **EXHAUST GASES** →
Decibel level range Velocity maintained throughout temperature range


BORLA® ATAK®

SOUND: SUPER AGGRESSIVE



ATAK® — "ACOUSTICALLY-TUNED APPLIED KINETICS"

The highest available dB (decibel) levels in our street-legal lineup. The size, quantity and perforation patterns of ATAK® muffler cores are tuned like a graphic equalizer on a vehicle-by-vehicle basis, to shape and focus sound waves for optimum high-volume output.




Borla® engineers fine-tune the perforation patterns, diameters and other characteristics of the internal cores to optimize ATAK® sound on a vehicle-by-vehicle basis.

U.S. Patent #
8,439,159 B1


Sound waves are attenuated and tuned while passing and deflecting through multiple core walls.

SOUND WAVES → **EXHAUST GASES** →
Decibel level range Velocity maintained throughout temperature range



FUELED BY PASSION

DRIVEN BY PERFECTION



SMOOTH MANDREL BENDS
Preserves the original pipe diameter throughout the bend, maximizing flow.

PRECISION FIT
Computer-controlled design and our close relationships with car manufacturers for fitment testing ensure easy bolt-on installations.

SUPERIOR CONSTRUCTION
While other brands crimp or weld muffler components, Borla® fuses them using a much more durable Tri-Gas TIG process.

HIGH-QUALITY T-304 AUSTENITIC STAINLESS STEEL
Proven as the industry's most durable exhaust alloy, T-304 Stainless Steel also ensures a long-lasting showroom appearance, easily maintained using Borla® Exhaust Cleaner & Polish.



MILLION MILE WARRANTY
That's 20,000 miles/year for 50 years! And we're behind you for every one.

SO EFFICIENT, IT ACTUALLY IMPROVES FUEL ECONOMY
A Borla® exhaust can increase fuel economy at cruising speeds.



Borla
+TURBO

R&D
UPDATE



Borla
CRATEMUFFLER

BORLA® RELEASES COMPLETE TURBO UPGRADE KITS WITH TUNED EXHAUST

Featuring the high performance technology of Borg Warner turbochargers, Borla's Turbo + Exhaust upgrade kits include a "True Dual" Cat-Back™ S-Type exhaust (available only with this kit) with multiple tip exit options, a Borla® hi-flow air filter, SCT X4 tuner and NGK Iridium spark plugs. Thanks to an exclusive calibration tune developed by 5 Star Tuning, the kit adds up to 160 HP for 2011-16 Ford F150 3.5L. More applications coming soon, including 2015-17 Mustang EcoBoost 2.3L and 2016-17 Camaro 2.0L Turbo models. Downpipe options are available (for racing only). See page 12 for details.

BORLA® XR-1® TUNER

Borla's plug & play XR-1® Tuner immediately adds up to 40hp, 70lb/ft. of torque and improved fuel economy while cruising for Mustang EcoBoost (with more boosted vehicle applications coming soon). Quickly enabled and disabled, the XR-1® Tuner can be plugged in at the track and unplugged for the street. The unit's stealth programming leaves no trace in ECU flash memory. It includes a stainless steel mounting bracket, all cables and simple instructions. For racing only, the Borla® XR-1® Tuner is not affected by dealer updates to the ECU. More info on page 59.

BORLA® CRATEMUFFLER™

The world's first mufflers engineered and tuned specifically for classic stock, custom-built and crate motors! Available in our signature Touring, S-Type and ATAK® sound technologies, a Borla® CrateMuffler™ gives you premium looks, sound and performance. Full details on page 14.

MORE POWER, SOUND & STYLE FOR THE ALL-NEW 2016-17 CAMARO

Borla's engineers, designers and fabricators have developed Cat-Back and Rear Section exhaust systems, headers and more for the all-new Camaro SS, V6 and 2.0L Turbo. These bolt-on upgrades add performance, driving excitement, weight savings and fuel economy to this exciting new vehicle. View complete applications on page 21.

BORLA®



BORLA® FOR CAMARO SS

Hear & compare all the Borla® systems purpose-built for the 2016-17 Chevy Camaro.



HELL YES!

700 HP never sounded so good. Listen to what Borla® developed for the Dodge Challenger Hellcat.



youtube.com/borla

BOBBY RUNYAN JR.

Bobby and Team Borla® push the limits of power, speed & traction at Texas Motor Speedway.




LEAD THE HEARD

Borla's CrateMuffler™ technology is purpose-built for popular motors. But hearing is believing!



SHELBY SOUNDTRACK

We think we've given the venerable Shelby GT350 the voice it deserves. See if you agree.




BORLA®+TURBO

TUNED TURBO/EXHAUST
UPGRADE KITS

Up to 160 HP
for 2011-16 Ford F150 3.5L!

Featuring the high performance technology of Borg Warner turbochargers, Borla's Turbo + Exhaust upgrade kits include a "True Dual" Cat-Back™ S-Type exhaust (available only with this kit) with multiple tip exit options, a Borla® hi-flow air filter, SCT X4 tuner, exclusive calibration tune developed by 5 Star Tuning and NGK Iridium spark plugs. The kit is available now for 2011-16 Ford F150 3.5L EcoBoost trucks, with more applications coming soon — including 2015-17 Mustang EcoBoost 2.3L and 2016-17 Camaro 2.0L Turbo models. Borla® Downpipe options are also available (for racing use only).



Kits Include:

Borla® Hi-Flow
Air Filter.

High-performance
Borg Warner turbochargers.

Featuring the High-Flow
Turbo Technology of
BorgWarner

Kits include all components shown below, with your choice of the following Borla® Cat-Back™ exhaust systems:

Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		TIP & EXIT INFO					Kit Part #
				Primary(s)	Secondary(s)	Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	
Ford F150 3.5L V6 Ecoboost 2+4WD	11-12	Cat-Back™	S-Type	2.5"	2.25"	4" RD	12"	Bright	36	Single Split Rear	251004
Ford F150 3.5L V6 Ecoboost 2+4WD	11-12	Cat-Back™	S-Type	2.5"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	251007
Ford F150 3.5L V6 Ecoboost 2+4WD	13-14	Cat-Back™	S-Type	2.5"	2.25"	4" RD	12"	Bright	36	Single Split Rear	251005
Ford F150 3.5L V6 Ecoboost 2+4WD	13-14	Cat-Back™	S-Type	2.5"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	251008
Ford F150 3.5L V6 Ecoboost 2+4WD	15-16	Cat-Back™	S-Type	2.5"	2.25"	4" RD	12"	Bright	36	Single Split Rear	251006
Ford F150 3.5L V6 Ecoboost 2+4WD	15-16	Cat-Back™	S-Type	2.5"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	251009



Borla® "True Dual" Cat-Back™ S-Type™ exhaust (available only with this kit), with multiple tip exit options.

SCT X4 tuner, with
exclusive calibration
tune developed by 5
Star Tuning.

NGK Iridium
spark plugs.





*"The world's first
mufflers purpose-
built to optimize the
sound & power of
crate and custom-
built motors."*

Drone-Free



1000000
MILLION MILE WARRANTY



Borla® CRATEMUFFLER™

Premium-quality mufflers tuned to optimize the sound and performance of popular crate and custom-built motors. Available in a variety of Borla® sound options to suit any taste — from the throaty growl of Borla's Touring technology to the all-out roar of our patented ATAK® design (see pages 6-7 for details on all Borla® sound technologies). Give your ride the sound it deserves!



Touring Resonators



Endplate Bracket Kit



8pc. Hanger Kit



2.5" Tube Brackets

Crate Motor Application(s)	Inlet OUTER DIAMETER	Outlet OUTER DIAMETER	Configuration	Sound Level	Case Size (L x W x H)	Part #
FORD						
STOCK SBF 289/302	2.5"	2.5"	OFFSET/ OFFSET	S-TYPE	14" x 9.10" x 4.35"	400828
STOCK SBF 289/302	2.5"	2.5"	OFFSET/ OFFSET	ATAK®	14" x 9.10" x 4.35"	400829
STOCK SBF 289/302	2.5"	2.5"	CENTER/ OFFSET	S-TYPE	14" x 9.10" x 4.35"	400831
STOCK SBF 289/302	2.5"	2.5"	CENTER/ OFFSET	ATAK®	14" x 9.10" x 4.35"	400832
STOCK SBF 289/302/FE BB Stock output	2.25"	2.25"	OFFSET/ OFFSET	S-TYPE	14" x 9.10" x 4.35"	400834
STOCK SBF 289/302/FE BB Stock output	2.25"	2.25"	OFFSET/ OFFSET	ATAK®	14" x 9.10" x 4.35"	400835
STOCK SBF 289/302/FE BB Stock output	2.25"	2.25"	CENTER/ OFFSET	S-TYPE	14" x 9.10" x 4.35"	400837
STOCK SBF 289/302/ FE BB Stock output	2.25"	2.25"	CENTER/ OFFSET	ATAK®	14" x 9.10" x 4.35"	400838
COYOTE 5.0L	2.5"	2.5"	OFFSET/CENTER	S-TYPE	12" x 10.34" x 6"	400855
COYOTE 5.0L	2.5"	2.5"	OFFSET/CENTER	ATAK®	12" x 10.34" x 6"	400856
COYOTE 5.0L	2.5"	2.5"	OFFSET/ OFFSET	S-TYPE	12" x 10.34" x 6"	400857
COYOTE 5.0L	2.5"	2.5"	OFFSET/ OFFSET	ATAK®	12" x 10.34" x 6"	400858
GM						
SBC HOT 350, 383	2.5"	2.5"	OFFSET/OFFSET	S-TYPE	14" x 9.10" x 4.35"	400773
SBC HOT 350, 383	2.5"	2.5"	OFFSET/ OFFSET	ATAK®	14" x 9.10" x 4.35"	400774
SBC HOT 350, 383	2.5"	2.5"	CENTER/ OFFSET	S-TYPE	14" x 9.10" x 4.35"	400819
SBC HOT 350, 383	2.5"	2.5"	CENTER/ OFFSET	ATAK®	14" x 9.10" x 4.35"	400820
STOCK SBC 283/327/350	2.5"	2.5"	OFFSET/ OFFSET	S-TYPE	14" x 9.10" x 4.35"	400822
STOCK SBC 283/327/350	2.5"	2.5"	OFFSET/ OFFSET	ATAK®	14" x 9.10" x 4.35"	400823
STOCK SBC 283/327/350	2.5"	2.5"	CENTER/ OFFSET	S-TYPE	14" x 9.10" x 4.35"	400825
STOCK SBC 283/327/350	2.5"	2.5"	CENTER/ OFFSET	ATAK®	14" x 9.10" x 4.35"	400826
BBC 396	2.5"	2.5"	OFFSET/CENTER	S-TYPE	14" x 9.10" x 4.35"	400851
BBC 396	2.5"	2.5"	OFFSET/CENTER	ATAK®	14" x 9.10" x 4.35"	400852
BBC 396	2.5"	2.5"	OFFSET/ OFFSET	S-TYPE	14" x 9.10" x 4.35"	400853
BBC 396	2.5"	2.5"	OFFSET/ OFFSET	ATAK®	14" x 9.10" x 4.35"	400854
LS3	2.5"	2.5"	OFFSET/CENTER	S-TYPE	14" x 9.10" x 4.35"	400944
LS3	2.5"	2.5"	OFFSET/CENTER	ATAK®	14" x 9.10" x 4.35"	400945
LS3	2.5"	2.5"	OFFSET/ OFFSET	S-TYPE	14" x 9.10" x 4.35"	400946
LS3	2.5"	2.5"	OFFSET/ OFFSET	ATAK®	14" x 9.10" x 4.35"	400947
MOPAR						
BB Chrysler	2.5"	2.5"	OFFSET/CENTER	S-TYPE	14" x 9.10" x 4.35"	400940
BB Chrysler	2.5"	2.5"	OFFSET/CENTER	ATAK®	14" x 9.10" x 4.35"	400941
BB Chrysler	2.5"	2.5"	OFFSET/ OFFSET	S-TYPE	14" x 9.10" x 4.35"	400942
BB Chrysler	2.5"	2.5"	OFFSET/ OFFSET	ATAK®	14" x 9.10" x 4.35"	400943
UNIVERSAL RESONATORS						
Resonator	2.25"	2.25"	CENTER/CENTER	TOURING	3.5" x 10"	400937
Resonator	2.5"	2.5"	CENTER/CENTER	TOURING	3.5" x 10"	400938
Resonator	3"	3"	CENTER/CENTER	TOURING	3.5" x 10"	400939
UNIVERSAL CRATEMUFFLER™ ACCESSORIES						
Tube Bracket Kit	2.25"	2.25"				60578
Tube Bracket Kit	2.5"	2.5"				60579
Tube Bracket Kit	3"	3"				60580
Endplate Bracket Kit						60581
Hanger/Isolator Kit - 8 Piece						60582

CONFIGURATION



OFFSET/OFFSET



CENTER/OFFSET

SOUND LEVELS

FULL DETAILS PGS. 6-7



STOCK



TOURING




S-TYPE



ATAK®

Classic STYLE & POWER

with Velocity Stacks from **BORLA[®] INDUCTION**



**Borla[®] Induction's
GM LS3/L92 Kit**

Available for these & other popular motors (inc. Ferrari, MG, VW, Honda & more).



Chevy 350



Chevy Big Block



GM LS1/LS2/LS6



Ford 302



Ford Coyote



POLISHING



POWDER-COATING



FUEL INJECTORS



IDLE AIR CONTROL



HI-PSI FUEL PUMPS



FAST HOLLEY & MORE CARBS

Choose from a wide variety of options.

Formerly TWM Induction, Borla[®] Induction provides engine builders, race teams, classic car enthusiasts and street rod builders with over sixty years of collective experience in the engineering, design and manufacture of state-of-the-art induction and exhaust systems.

Unlike other kits that simply modify antiquated designs for today's complex engines, Borla[®] Induction throttle body kits are purpose-built for each application. Classic engines get the benefit of advanced fuel injection, while modern powerplants get the retro look of stack-injection with proven technology. Both get more power, cylinder-specific tuning, the stunning looks of velocity stacks, and Borla[®] Induction's classic sound of performance.

A genuine "Made in the USA" product, the Borla[®] Induction line is backed by our superior-quality craftsmanship and performance reputation.



To find solutions to your specific induction needs, visit us at www.BorlaInduction.com or call 1-877 GO BORLA.

Discover today how to inject your engine with classic style and race-bred power!

The classic look of yesterday's velocity stacks — one of the hottest mods of the glory days of racing — is reflected in every Borla[®] Induction Kit.



1969 Chevrolet
"Red Devil"

View the complete collection at www.BorlaInduction.com



Ford 351 Windsor



6.1L Hemi



Porsche Kits



Small Block Chevy



Small Block Ford



Large selection of OE replacement carbureted throttle bodies also available, including Weber DCOE and many more.

BORLA[®] *Eight Stack*


Borla's 8-Stack induction systems give you the classic look of original Weber carburetors, with the modern technology and performance of fuel injection. Available for these and many other popular engines:

EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					Part #	
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit		
				Primary(s)	Secondary(s)							
» ACURA												
RSX												
Type S 2.0L 4CYL MT FWD 2DR	02-06	Cat-Back™	Touring	2.25"	2.25"	4" RD	8"	Bright	2	Single Rear (R)	140002	
» ASTON MARTIN												
Vanquish/DB9/DBS												
5.9L V12 AT RWD 2DR w/valves	05-15	Axle-Back	S-Type	2.5"	2.5"	USES FACTORY BEZELS					11932	
» AUDI												
A3												
Quattro (8V) 2.0L Turbo AT/MT AWD 4DR	14-16	Cat-Back™	S-Type	3"	2.25"	3.5" RD	6"	Bright	35	Single Split Rear	140682	
A4												
A4 B5 Quattro 1.8L Turbo 4CYL MT AWD 4DR	97-01	Cat-Back™	S-Type	2.25"	2.25"	3.14" RD	4.63"	Bright	18	Dual Rear (L)	14845	
A4 Quattro/Avant B6/B7 1.8T/2.0T 4CYL AT/MT AWD 4DR	02-08	Cat-Back™	S-Type	2"	2"	3.19" RD	6.75"	Bright	35	Single Split Rear	140100	
A4 Avant 2.0L Turbo AT AWD 4DR	09-12	Cat-Back™	S-Type	2.5"	2.25"	4" RD	9.5"	Bright	3	Single Split Rear	140683	
A4 B8 2.0L Turbo AT/MT FWD/AWD 4DR	09-15	Cat-Back™	S-Type	2.5"	2.5"	3.5" x 2.75" OV	3.96"	Bright	29	Dual Rear (L)	140315	
A4 B8 2.0L Turbo AT AWD 4DR	13-16	Cat-Back™	S-Type	2.5"	2.25"	4" RD	9.5"	Bright	3	Single Split Rear	140683	
R8 GT SPYDER												
5.2L V10 AT 2DR	10-15	Cat-Back™	S-Type	3"	3"	USES FACTORY BEZELS				Single Split Rear	140596	
S3												
2.0L Turbo AT/MT AWD 4DR	13-16	Cat-Back™	S-Type	3"	2.25"	3.5" RD	6"	Bright	29	Dual Rear (L)	140631	
2.0L Turbo AT/MT AWD 4DR	15	Downpipe w/o Cats	S-Type	3"	3"						60562*	
S4												
Quattro Twin Turbo 2.7L V6 AT/MT AWD 4DR	00-02	Cat-Back™	S-Type	3"	3"	3.14" RD	4.63"	Bright	18	Dual Rear (L)	14902	
B8 3.0L AT/MT AWD 4DR	10-16	Cat-Back™	S-Type	2.5"	1.75"	3.5" RD	5"	Bright	18	Dual Split Rear	140403	
S5												
4.2L V8 /3.0 SC AT/MT AWD 2 DR	08-16	Cat-Back™	S-Type	2.5"	2.5"	3.5" RD	5"	Bright	18	Dual Split Rear	140391	
TT												
Quattro 1.8L Turbo 225HP MT AWD 2DR	01-06	Cat-Back™	S-Type	2.5"	2.5"	4.25" x 3.5" OV	6.75"	Bright	17	Single Split Rear	14957	
2.0L Turbo AT AWD 2DR	11-14	Cat-Back™	S-Type	2.5"	2"	4" RD	7"	Bright	35	Single Split Rear	140465	





www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					Part #
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	
				Primary(s)	Secondary(s)						
» BMW											
E30											
M3 2.3L /2.5L	87-92	Axle-Back	Touring	2"	2"	3" RD	6.5"	Bright	25	Dual Rear (L)	11283
E36											
325i/328i/M3 2.5L/2.8L/3.0L/3.2L	92-99	Cat-Back™	Touring	2"	2"	3" RD	6.5"	Bright	18	Dual Rear (L)	14553
E46											
323/328i & Ci 2.5L /2.8L	98-00	Cat-Back™	S-Type	2.25"	2.25"	3.15" RD	5"	Bright	20	Dual Rear (L)	14939
325/330i & Ci 2.5L /3.0L	01-06	Cat-Back™	S-Type	2"	2"	3.19" RD	4.75"	Bright	18	Dual Rear (L)	140084
M3 Coupe/Conv 3.2L	01-06	Cat-Back™	S-Type	2.5"	1.75"	3.14" RD	5"	Bright	18	Dual Split Rear	140034
M3 Coupe/Conv 3.2L	01-06	X-Pipe		2.25"	2.25"						60090*
E82											
1M 3.0L	12-13	Axle-Back	ATAK®	3"	2"	3.15" RD	5"	Bright	18	Dual Split Rear	11820
E90/92/93											
335i/xi Sedan 3.0L	07-10	Cat-Back™	Touring	2.5"	2.5"	3.5" RD	6"	Bright	35	Single Split Rear	140246
335i/xi Coupe/Sedan 3.0L	07-10	Cat-Back™	S-Type	2.5"	2.5"	3.5" RD	6"	Bright	35	Single Split Rear	140276
335i/xi 3.0L	07-09	Front Pipes		2.5"	2.5"						60503*
328i Sedan 2.5L/3.0L	07-11	Cat-Back™	Touring	2.25"	2.5"	3.19" RD	5"	Bright	18	Dual Rear (L)	140505
M3 Sedan 4.0L	08-11	Axle-Back	S-Type	2.75"	2.75"	3.5" RD	5"	Bright	18	Dual Split Rear	11770
M3 Sedan 4.0L	08-11	Axle-Back	ATAK®	2.75"	2"	3.14" RD	5"	Bright	18	Dual Split Rear	11803
M3 Coupe 4.0L	08-13	Axle-Back	S-Type	2.75"	2.75"	3.5" RD	6"	Bright	18	Dual Split Rear	11764
M3 Coupe/Conv 4.0L	08-13	Axle-Back	ATAK®	2.75"	2"	3.14" RD	5"	Bright	18	Dual Split Rear	11802
M3 Coupe 4.0L	08-13	Axle-Back	ATAK®	TBA	TBA	TBA	TBA	Crbn Fbr	53	TBA	11882CF
M3 Sedan 4.0L	08-11	Axle-Back	ATAK®	TBA	TBA	TBA	TBA	Crbn Fbr	53	TBA	11883CF
M3 Coupe 4.0L (Titanium Exhaust)	08-13	Axle-Back	ATAK®	TBA	TBA	TBA	TBA	Crbn Fbr	53	TBA	11882TCF
M3 Sedan 4.0L (Titanium Exhaust)	08-11	Axle-Back	ATAK®	TBA	TBA	TBA	TBA	Crbn Fbr	53	TBA	11883TCF
M3 4.0L	08-13	X-Pipe		2.5"	2.5"						60506*
F10											
M5 4.4L	13-16	Cat-Back™	S-Type	3"	2.25"	3.5" RD	6"	Bright	18	Dual Split Rear	140511
M5 4.4L	13-15	Diffuser									77014
F12											
M6 4.4L	13-16	Cat-Back™	S-Type	3"	2.25"	3.5" RD	4.5"	Bright	47	Dual Split Rear	140582



EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
» BMW (cont.)											
F30											
320i Sedan 2.0L	12-15	Cat-Back™	S-Type	2.75"	2.25"	3.14" RD	4.68"	Bright	3	Single Rear (L)	140657
328i Sedan 2.0L	12-16	Cat-Back™	S-Type	2.75"	2.25"	3.14" RD	4.68"	Bright	18	Dual Rear (L)	140509
335i Sedan/Active Hybrid 3 3.0L (non SULEV)	12-16	Cat-Back™	S-Type	3"	2.25"	3.5" RD	6"	Bright	35	Single Split Rear	140579
335i Sedan/Active Hybrid 3 3.0L (non SULEV)	12-16	Cat-Back™	ATAK®	3"	2.25"	3.5" RD	6"	Bright	35	Single Split Rear	140580
F32											
428i Coupe 2.0L	14-16	Cat-Back™	S-Type	2.75"	2.25"	3.14" RD	4.68"	Bright	18	Dual Rear (L)	140509
435i Coupe 3.0L	14-16	Cat-Back™	S-Type	3"	2.25"	3.5" RD	6"	Bright	35	Single Split Rear	140579
435i Coupe 3.0L	14-16	Cat-Back™	ATAK®	3"	2.25"	3.5" RD	6"	Bright	35	Single Split Rear	140580
F80/F82											
M3/M4 Sedan/Coupe 3.0L w/ovalves	15-16	Cat-Back™	S-Type	2.5"	2.25"	3.5" RD	5"	Bright	18	Dual Split Rear	140607
M3/M4 Sedan/Coupe 3.0L w/valves	15-16	Cat-Back™	S-Type	2.5"	2.25"	3.5" RD	5"	Bright	18	Dual Split Rear	140600
M3/M4 Sedan/Coupe 3.0L	15-16	Front Pipes		2.5"	2.5"						60557*
M3/M4 Sedan/Coupe 3.0L	15-16	Downpipe		3"	3"						60563*
» CADILLAC											
ATS											
2.0L AT RWD 4DR	13-16	Axle-Back	S-Type	2.25"	2.25"	4" RD	8"	Bright	35	Single Split Rear	11844
ATS-V											
3.6L Turbo V6 AT RWD 2+4DR	16	Cat-Back™	S-Type	2.75"	2.75"	4" RD	6.25"	Bright		Single Split Rear	140692
CTS											
3.6L V6 AT RWD 4DR Sedan	05-07	Cat-Back™	S-Type	2"	2"	4" RD	8"	Bright	35	Single Split Rear	140175
3.6L V6 AT RWD/AWD 2DR Coupe	11-15	Axle-Back	Touring	2.25"	2.25"	USES FACTORY STOCK EXIT				Dual Center Rear	11824
CTS-V											
5.7L/6.0L V8 MT RWD 4DR	04-07	Cat-Back™	S-Type	2.5"	2.5"	5" RD	8.5"	Bright	35	Single Split Rear	140126
6.2L AT/MT RWD 4DR	09-11	Cat-Back™	S-Type	2.5"	2.5"	4" RD	6"	Bright	35	Single Split Rear	140364*
6.2L AT/MT RWD/AWD 2DR Coupe	11-14	Cat-Back™	Touring	2.5"	2.5"	4.5" RD	5.75"	Bright	18	Dual Center Rear	140433
6.2L AT RWD 2DR Coupe	11-14	Cat-Back™	S-Type	2.5"	2.5"	4.5" RD	5.75"	Bright	18	Dual Center Rear	12662*
6.2L AT/MT RWD 4DR Sedan	09-14	Axle-Back	S-Type	2.5"	2.5"	4" RD	6.25"	Bright	35	Single Split Rear	11809
6.2L AT/MT RWD/AWD 2DR Coupe	11-15	Axle-Back	S-Type	2.5"	2.5"	4.5" RD	5.75"	Bright	18	Dual Center Rear	11823
6.2L AT/MT RWD 2+4DR Coupe/Sedan	09-14	X-Pipe		2.5"	2.5"						60524
ESCALADE											
6.2L V8 AT RWD/AWD 4DR	07-10	Cat-Back™	Touring	3"	2.25" (x2)	4" RD	13"	Bright	38	Dual Side (R)	140194
6.2L V8 AT RWD/AWD 4DR	15-16	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140559
6.2L V8 AT RWD/AWD 4DR	15-16	Cat-Back™	S-Type	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140652
ESCALADE ESV/EXT											
ESV/EXT 6.2L V8 AT AWD 4DR	07-10	Cat-Back™	Touring	3"	2.25" (x2)	4" RD	13"	Bright	38	Dual Side (R)	140205
ESV 6.2L V8 AT RWD 4DR	15-16	Cat-Back™	Touring	3"	2.25" (x2)	4" RD	12"	Bright	18	Dual Side (R)	140560
ESV 6.2L V8 AT RWD 4DR	15-16	Cat-Back™	S-Type	3"	2.25" (x2)	4" RD	12"	Bright	18	Dual Side (R)	140653
STS-V											
4.4L SC V8 AT RWD 4DR	06-09	Cat-Back™	Touring	2.5"	2.5"	5" RD	8.75"	Bright	35	Single Split Rear	140178
SOUND LEVELS											
FULL DETAILS PGS. 6-7											
STOCK											
TOURING											
S-TYPE											
ATAK®											



www.borla.com 1-877-GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
» CHEVROLET											
AVALANCHE											
5.3L/6.0L V8 AT 2+4WD 4DR	07-08	Cat-Back™	Touring	2.75"	2" (x2)	4.25" x 3.5"OV	12"	Bright	29	Dual Side (R)	140235
5.3L AT 2+4WD 4DR	09-14	Cat-Back™	Touring	3"	2.25" (x2)	4" RD	12"	Bright	18	Dual Side (R)	140423
BEL AIR											
210/SB AT/MT RWD 2+4DR	55-57	Manifold-Back	S-Type	2.5"	w/H-Pipe	FACTORY STYLE TURN DOWNS				Single Split Rear	100401
210/SB AT/MT RWD 2+4DR	55-57	Manifold-Back	S-Type	2.5"	w/H-Pipe	4" RD	8"			Single Split Rear	100402
256/283/237/350 CID AT/MT RWD 2+4DR	55-57	Header		1.65"	2.5"						17265
CAMARO 2.0L Turbo											
2.0L Turbo AT/MT RWD 2DR	16-17	Axle-Back	S-Type	2.25"	2.75"	4.5" RD	5.75"	Bright	35	Single Split Rear	11933
2.0L Turbo AT/MT RWD 2DR	16-17	Axle-Back	ATAK®	2.25"	2.75"	4.5" RD	5.75"	Bright	35	Single Split Rear	11934
2.0L Turbo AT/MT RWD 2DR	16-17	Mid Section - Use with Rear Section to create Cat-Back™		3"	2.25"						60622
2.0L Turbo AT/MT RWD 2DR	16-17	Muffler - Use with 60622 and 11933 to create Touring Sound Level Downpipe	Touring	3"	3"						60624
2.0L Turbo AT/MT RWD 2DR	16-17										60623*
CAMARO V6											
3.6L V6 AT/MT (except Dual-mode exhaust)	10-13	Cat-Back™	S-Type	2.25"	2.25"	3.5" RD	4.5"	Bright	35	Single Split Rear	140282
3.6L V6 AT/MT (except Dual-mode exhaust)	10-13	Axle-Back	S-Type	2.25"	2.25"	3.5" RD	4.5"	Bright	3	Single Split Rear	11776
3.6L V6 AT/MT (except Dual-mode exhaust)	10-13	X-Pipe		2.25"	2.25"						60539
3.6L V6 AT/MT (except RS, Dual-mode exhaust)	14-15	Cat-Back™	S-Type	2.25"	2.25"	3.5" RD	4.5"	Bright	35	Single Split Rear	140526
3.6L V6 AT/MT (except RS, Dual-mode exhaust)	14	Cat-Back™	S-Type	2.25"	2.25"	USES w/FACTORY GROUND FX PKG				Single Split Rear	140527
3.6L V6 AT/MT (except RS, Dual-mode exhaust)	14-15	Axle-Back	S-Type	2.25"	2.25"	3.5" RD	4.5"	Bright	35	Single Split Rear	11845
3.6L V6 AT/MT (except RS, Dual-mode exhaust)	14	Axle-Back	S-Type	2.25"	2.25"	USES w/FACTORY GROUND FX PKG				Single Split Rear	11846
3.6L V6 AT/MT w/Dual mode exhaust	16-17	Axle-Back	S-Type	2.25"	2.5", 2.75"	3.5" RD	4.5"	Bright	47	Dual Split Rear	11930
3.6L V6 AT/MT w/Dual mode exhaust	16-17	Axle-Back	ATAK®	2.25"	2.5", 2.75"	3.5" RD	4.5"	Bright	47	Dual Split Rear	11931
3.6L V6 AT/MT RWD 2DR w/o Dual mode valves	16-17	Axle-Back	S-Type	2.25"	2.75"	4" RD	6.25"	Bright	47	Dual Split Rear	11926
3.6L V6 AT/MT RWD 2DR w/o Dual mode valves	16-17	Axle-Back	ATAK®	2.25"	2.75"	4" RD	6.25"	Bright	47	Dual Split Rear	11927
3.6L V6 AT/MT w/o AFM Valves	16-17	X-Pipe, Secondary Cat-Delete		2.25"	2.25"						60611*
  											



TIP EXITS

ACTUAL PIPE CONTOURS VARY BY APPLICATION

SINGLE REAR (L)

DUAL REAR (L)

SINGLE REAR (R)

DUAL REAR (R)

SINGLE SPLIT REAR

DUAL SPLIT REAR

DUAL CENTER REAR

QUAD CENTER

SINGLE SIDE (L)

DUAL SIDE (L)

SINGLE SIDE (R)

DUAL SIDE (R)

SINGLE SPLIT SIDE

BORLA®

WE BUILD EXCITEMENT

EXHAUST SYSTEM APPLICATIONS

TIP & EXIT INFO — SEE IMAGES BELOW											
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						

» CHEVROLET (cont.)

CAMARO V8


396/427 CID AT/MT RWD 2+4DR	67-69	Manifold-Back	S-Type	2.5"	2.5"					Single Split Rear	100414
396/427 CID AT/MT RWD 2+4DR	67-69	Header		2"	3"						17278
5.0L/5.7L V8 AT/MT RWD 2DR (inc. adapters)	84-92	Cat-Back™	S-Type	3"	3" Adj Sys	2.5" RD	7"	Bright	22	Single Split Rear	14888
5.7L V8 AT/MT RWD 2DR (Single Cat.)	93-95	Cat-Back™	S-Type	3"	3" Adj Sys	3.8" x 3" SQ	6.75"	Bright	26	Dual Split Rear	14464
5.7L V8 AT/MT RWD 2DR (Dual Cat.)	95-97	Cat-Back™	S-Type	3"	3" Adj Sys	3.8" x 3" SQ	6.75"	Bright	26	Dual Split Rear	14555
5.7L V8 AT/MT RWD 2DR	98-02	Cat-Back™	S-Type	3"	3" Adj Sys	3.8" x 3" SQ	6.75"	Bright	26	Dual Split Rear	14780
5.7L V8 AT/MT RWD 2DR	98-02	Cat-Back™	S-Type	3"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140028
6.2L V8 AT/MT RWD 2DR (does not fit conv.)	10-13	Cat-Back™	S-Type	3"	3"	4.5" RD	5.75"	Bright	35	Single Split Rear	140348
6.2L V8 AT/MT RWD 2DR	10-13	Cat-Back™	Touring	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	140281
6.2L V8 AT/MT RWD 2DR	10-13	Cat-Back™	S-Type	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	140280
6.2L V8 AT/MT RWD 2DR	10-13	Cat-Back™	ATAK®	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	140356
6.2L V8 AT/MT RWD 2DR (w/o tips)	10-13	Cat-Back™	S-Type	2.5"	2.5"	USES w/FACTORY GROUND FX PKG				Single Split Rear	140330
6.2L V8 AT/MT RWD 2DR (w/o tips)	10-13	Cat-Back™	ATAK®	2.5"	2.5"	USES w/FACTORY GROUND FX PKG				Single Split Rear	140378
6.2L V8 AT/MT RWD 2DR	10-13	Axle-Back	Touring	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	11774
6.2L V8 AT/MT RWD 2DR	10-13	Axle-Back	S-Type	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	11775
6.2L V8 AT/MT RWD 2DR	10-13	Axle-Back	ATAK®	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	11788
6.2L V8 AT/MT RWD 2DR (w/o tips)	10-13	Axle-Back	S-Type	2.5"	2.5"	USES w/FACTORY GROUND FX PKG				Single Split Rear	11801
6.2L V8 AT/MT RWD 2DR (w/o tips)	10-13	Axle-Back	ATAK®	2.5"	2.5"	USES w/FACTORY GROUND FX PKG				Single Split Rear	11794
6.2L V8 AT/MT RWD 2DR	10-15	Short Tube Header		1.65"	2.5"						17258*
6.2L V8 AT/MT RWD 2DR	10-15	Long Tube Header		1.75"	2.5"						17249*
6.2L V8 AT/MT RWD 2DR	10-15	X-Pipe		2.5"	2.5"						60512
6.2L V8 AT/MT RWD 2DR	14-15	Cat-Back™	S-Type	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	140530
6.2L V8 AT/MT RWD 2DR	14-15	Cat-Back™	ATAK®	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	140532
6.2L V8 AT/MT RWD 2DR (w/o tips)	14	Cat-Back™	S-Type	2.5"	2.5"	USES w/FACTORY GROUND FX PKG				Single Split Rear	140531
6.2L V8 AT/MT RWD 2DR (w/o tips)	14	Cat-Back™	ATAK®	2.5"	2.5"	USES w/FACTORY GROUND FX PKG				Single Split Rear	140533



TIP & EXIT INFO — SEE IMAGES BELOW											
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
6.2L V8 AT/MT RWD 2DR	14-15	Axle-Back	Touring	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	11847
6.2L V8 AT/MT RWD 2DR	14-15	Axle-Back	S-Type	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	11849
6.2L V8 AT/MT RWD 2DR	14-15	Axle-Back	ATAK®	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	11851
6.2L V8 AT/MT RWD 2DR (w/o tips)	14	Axle-Back	Touring	2.5"	2.5"	USES w/FACTORY GROUND FX PKG				Single Split Rear	11848
6.2L V8 AT/MT RWD 2DR (w/o tips)	14	Axle-Back	S-Type	2.5"	2.5"	USES w/FACTORY GROUND FX PKG				Single Split Rear	11850
6.2L V8 AT/MT RWD 2DR (w/o tips)	14	Axle-Back	ATAK®	2.5"	2.5"	USES w/FACTORY GROUND FX PKG				Single Split Rear	11852
6.2L V8 AT/MT RWD 2DR for use with Long Tube Headers w/o Dual mode valves	16-17	Cat-Back™	S-Type	3"	2.25"	4.5" RD	5.75"	Bright	35	Single Split Rear	140689
6.2L V8 AT/MT RWD 2DR for use with Long Tube Headers w/o Dual mode valves	16-17	Cat-Back™	ATAK®	3"	2.25"	4.5" RD	5.75"	Bright	35	Single Split Rear	140690
6.2L V8 AT/MT RWD 2DR for use with Long Tube Headersw/o Dual mode valves	16-17	Cat-Back™	S-Type	3"	2.25"	4" RD	6.25"	Bright	47	Dual Split Rear	140687
6.2L V8 AT/MT RWD 2DR for use with Long Tube Headers w/o Dual mode valves	16-17	Cat-Back™	ATAK®	3"	2.25"	4" RD	6.25"	Bright	47	Dual Split Rear	140688
6.2L V8 AT/MT RWD 2DR w/o Dual mode valves	16-17	Axle-Back	S-Type	2.75"	2.5"	4" RD	6.25"	Bright	35	Single Split Rear	11922
6.2L V8 AT/MT RWD 2DR w/o Dual mode valves	16-17	Axle-Back	ATAK®	2.75"	2.5"	4" RD	6.25"	Bright	35	Single Split Rear	11923
6.2L V8 AT/MT RWD 2DR w/o Dual mode valves	16-17	Axle-Back	S-Type	2.75"	2.5"	4" RD	6.25"	Bright	47	Dual Split Rear	11920
6.2L V8 AT/MT RWD 2DR w/o Dual mode valves	16-17	Axle-Back	ATAK®	2.75"	2.5"	4" RD	6.25"	Bright	47	Dual Split Rear	11921
6.2L V8 AT/MT RWD 2DR w/Dual mode valves	16-17	Axle-Back	S-Type	2.75"	2.5"	4" RD	6.25"	Bright	47	Dual Split Rear	11924
6.2L V8 AT/MT RWD 2DR w/Dual mode valves	16-17	Axle-Back	ATAK®	2.75"	2.5"	4" RD	6.25"	Bright	47	Dual Split Rear	11925
6.2L V8 AT/MT RWD 2DR	16-17	Long Tube Headers		1.75"	3"						17293*
6.2L V8 AT/MT RWD 2DR	16-17	Add on NPP Valve Kit		2.75"	2.5"	4" RD	6.25"			Dual Split Rear	60605
6.2L V8 AT/MT RWD 2DR w/o AFM valves	16-17	X-Pipe secondary Cat-Delete Offroad only									60606*
6.2L V8 AT RWD 2DR w/AFM valves	16-17	X-Pipe secondary Cat-Delete Offroad only									60609*
6.2L V8 AT/MT RWD 2DR w/o AFM valves	16-17	X-Pipe									60607
6.2L V8 AT RWD 2DR w/AFM valves	16-17	X-Pipe									60610
6.2L V8 AT/MT RWD 2DR	16-17	Adapter Tubes for 17293 Headers		3"	2.75"						60625*
6.2L V8 AT/MT RWD 2DR	16-17	Adapter Tubes for 3" Cat-Delete									60626*
6.2L V8 AT/MT RWD 2DR	16-17	Touring Muffler Option Upgrade Kit									60608
CAMARO ZL1/1LE											
6.2L V8 AT/MT 2DR w/Dual-mode Quad tip exhaust	12-15	Cat-Back™	S-Type	2.75"	2.75"	4" RD	7"	Bright	18	Dual Split Rear	140494
6.2L V8 AT/MT 2DR w/Dual-mode Quad tip exhaust	12-15	Cat-Back™	ATAK®	2.75"	2.75"	4" RD	7"	Bright	18	Dual Split Rear	140495
6.2L V8 AT/MT RWD 2DR	12-15	Short Tube Header		1.65"	2.5"						17258*
6.2L V8 AT/MT RWD 2DR	12-15	Long Tube Header		1.75"	2.5"						17249*
CAPRICE CLASSIC											
5.7L V8 AT RWD 4DR	94-96	Cat-Back™ (H-Pipe)	Touring	2.25"	2"	3.5" RD	7"	Bright	10	Single Split Rear	14504
COLORADO											
3.6L V6 AT 2+4WD CC SB EC LB 128" WB	15-16	Cat-Back™	S-Type	2.75"	2.75"	4" RD	12"	Bright	36	Single Rear (R)	140645
3.6L V6 AT 2+4WD CC LB 140.5" WB	15-16	Extension Pipe		2.75"	2.75"						60570

TIP EXITS

ACTUAL PIPE CONTOURS VARY BY APPLICATION




EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
» CHEVROLET (cont.)											
CORVETTE C4											
C4 5.7L V8 AT/MT	86-91	Cat-Back™	S-Type	3"	2.5"	6.69" x 3" REC	5.63"	Bright	34	Single Split Rear	140082
C4 5.7L V8 AT/MT	92-96	Cat-Back™	S-Type	2.5"	2.5"	7.25" x 2.4" REC	5.75"	Bright	32	Single Split Rear	14385
C4 5.7L V8 AT/MT (Conversion Y-Pipe req.)	84-91	Axle-Back 2.5" Conv	S-Type	2.5"	2.5"	3.8" x 3" SQ	6.75"	Bright	26	Dual Split Rear	11376
C4 5.7L V8 AT/MT	85-90	Axle-Back	S-Type	2.25"	2.25"	3.5" RD	6"	Bright	19	Dual Split Rear	11134
C4 5.7L V8 AT/MT	84-85	Conversion Y-Pipe		2.5"	2.5"						60001
C4 5.7L V8 AT/MT	86-91	Conversion Y-Pipe		2.5"	2.5"						60002
CORVETTE C5/Z06											
C5/Z06 5.7L V8 AT/MT	97-04	Cat-Back™	Touring	2.5"	2"	4.25" x 3.5" OV	6.75"	Bright	29	Dual Split Rear	140426
C5/Z06 5.7L V8 AT/MT	97-04	Cat-Back™	S-Type	2.5"	2.5"	4.5" RD	7"	Bright	37	Single Split Rear	140017
C5/Z06 5.7L V8 AT/MT	97-04	Cat-Back™	S-Type	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	140038
C5/Z06 5.7L V8 AT/MT	97-04	Cat-Back™	S-Type	2.5"	2"	4.25" x 3.5" OV	6.75"	Bright	29	Dual Split Rear	140039
C5/Z06 5.7L V8 AT/MT	97-04	Cat-Back™	S-Type	2.5"	2"	4.25" x 3.5" OV	6.75"	Bright	29	Dual Split Rear	140427
C5/Z06 5.7L V8 AT/MT	97-04	Cat-Back™	ATAK®	2.5"	2"	4.25" x 3.5" OV	6.75"	Bright	29	Dual Split Rear	140428
C5/Z06 5.7L V8 AT/MT	97-04	Axle-Back/Pipes Only	S-Type	2.5"	2.5"	4" RD	8"	Bright	35	Single Split Rear	12649
C5 5.7L V8 AT/MT	97-04	Long Tube Header w/X-Pipe		1.75"	2.75"						17259*
C5/Z06 5.7L V8 AT/MT	97-04	X-Pipe									60087
CORVETTE C6											
C6 6.0L/6.2L AT/MT incl. Paddle Shift	05-08	Cat-Back™ w/X-Pipe	S-Type	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	140128
C6 6.0L/6.2L AT/MT incl. Paddle Shift	05-08	Cat-Back™ w/X-Pipe	S-Type II	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	140452
C6 6.0L/6.2L AT/MT incl. Paddle Shift	05-08	Cat-Back™ w/X-Pipe	ATAK®	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	140453
C6 6.0L/6.2L AT/MT incl. Paddle Shift	05-08	Axle-Back	Touring	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	11814
C6 6.0L/6.2L AT/MT incl. Paddle Shift	05-08	Axle-Back	S-Type	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	11744
C6 6.0L/6.2L AT/MT incl. Paddle Shift	05-08	Axle-Back	S-Type II	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	11815
C6 6.0L/6.2L AT/MT incl. Paddle Shift	05-08	Axle-Back	ATAK®	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	11816
C6 6.0L/6.2L AT/MT incl. Paddle Shift	05-08	Long Tube Header		1.75"	2.75"						17260*
C6 6.0L/6.2L AT/MT incl. Paddle Shift	05-08	X-Pipe		2.5"	2.5"						60089
C6 6.2L AT/MT incl. Paddle Shift	09-11	Cat-Back™ w/X-Pipe	S-Type II	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	140440
C6 6.2L AT/MT incl. Paddle Shift	09-11	Cat-Back™ w/X-Pipe	ATAK®	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	140414
C6 6.2L AT/MT incl. Paddle Shift	09-13	Axle-Back	Touring	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	11810
C6 6.2L AT/MT incl. Paddle Shift	09-13	Axle-Back	S-Type	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	11766
C6 6.2L AT/MT incl. Paddle Shift	09-13	Axle-Back	S-Type II	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	11811
C6 6.2L AT/MT incl. Paddle Shift	09-13	Axle-Back	ATAK®	2.5"	2"	4" RD	7"	Bright	47	Dual Split Rear	11812
C6 6.2L AT/MT incl. Paddle Shift	09-13	Long Tube Header w/X-Pipe		1.75"	2.75"						17276*
C6 6.2L AT/MT incl. Paddle Shift	09-11	X-Pipe		2.5"	2.5"						60505
C6 6.2L AT/MT incl. Paddle Shift	12-13	X-Pipe		2.5"	2.5"						60533*



www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
CORVETTE C6 Z06/ZR1											
Z06/ZR1 7.0L/6.2L V8 MT	06-11	Cat-Back™ w/X-Pipe	S-Type	3"	2"	4.25" RD	6.13"	Bright	19	Dual Split Rear	140191
Z06/ZR1 7.0L/6.2L V8 MT	06-11	Cat-Back™ w/X-Pipe	S-Type II	3"	2"	4.25" RD	4"	Bright	19	Dual Split Rear	140679
Z06/ZR1 7.0L/6.2L V8 MT	06-11	Cat-Back™ w/X-Pipe	ATAK®	3"	2"	4.25" RD	6.13"	Bright	19	Dual Split Rear	140422
Z06/ZR1 7.0L/6.2L V8 MT	06-13	Axle-Back	S-Type	3"	2"	4.25" RD	6.13"	Bright	19	Dual Split Rear	11761
Z06/ZR1 7.0L/6.2L V8 MT	06-13	Axle-Back	S-Type II	3"	2"	4.25" RD	6.13"	Bright	19	Dual Split Rear	11917
Z06/ZR1 7.0L/6.2L V8 MT	06-13	Axle-Back	ATAK®	3"	2"	4.25" RD	6.13"	Bright	19	Dual Split Rear	11822
Z06 7.0L V8 MT	06-13	Long Tube Header		1.75"	3"						17261*
CORVETTE C7											
C7 6.2L AT/MT w/AFM & NPP incl Paddle Shift	14-17	Axle-Back	S-Type	2.75"	2.75"	4.25" RD	6.13"	Bright	19	Quad Center	11855
C7 6.2L AT/MT w/AFM & NPP incl Paddle Shift	14-17	Axle-Back	S-Type	2.75"	2.75"	4.25" RD	6.13"	Black	54	Quad Center	11855BC
C7 6.2L AT/MT w/AFM & NPP incl Paddle Shift	14-17	Axle-Back	S-Type	2.75"	2.75"	4.25" RD	6.13"	Bright	47	Quad Center	11874
C7 6.2L AT/MT w/AFM & NPP incl Paddle Shift	14-17	Axle-Back	ATAK®	2.75"	2.75"	4.25" RD	6.13"	Bright	19	Quad Center	11856
C7 6.2L AT/MT w/AFM & NPP incl Paddle Shift	14-17	Axle-Back	ATAK®	2.75"	2.75"	4.25" RD	6.13"	Black	54	Quad Center	11856BC
C7 6.2L AT/MT w/AFM & NPP incl Paddle Shift	14-17	Axle-Back	ATAK®	2.75"	2.75"	4.25" RD	6.13"	Bright	47	Quad Center	11875
C7 6.2L AT/MT w/AFM incl Paddle Shift	14-17	Axle-Back	S-Type	2.75"	2.25"	4.25" RD	6.13"	Bright	19	Quad Center	11862
C7 6.2L AT/MT w/AFM incl Paddle Shift	14-17	Axle-Back	S-Type	2.75"	2"	4.25" RD	6.13"	Bright	47	Quad Center	11877
C7 6.2L AT/MT w/AFM incl Paddle Shift	14-17	Axle-Back	ATAK®	2.75"	2.25"	4.25" RD	6.13"	Bright	19	Quad Center	11863
C7 6.2L AT/MT w/AFM incl Paddle Shift	14-17	Axle-Back	ATAK®	2.75"	2.25"	4.25" RD	4.25"	Black	54	Quad Center	11863BC
C7 6.2L AT/MT w/AFM incl Paddle Shift	14-17	Axle-Back	ATAK®	2.75"	2"	4.25" RD	6.13"	Bright	47	Quad Center	11878
C7 6.2L AT/MT incl Paddle Shift	14-17	Axle-Back	S-Type	2.75"	2"	4.25" RD	6.13"	Bright	19	Quad Center	11868
C7 6.2L AT/MT incl Paddle Shift	14-17	Axle-Back	S-Type	2.75"	2"	4.25" RD	6.13"	Bright	47	Quad Center	11880
C7 6.2L AT/MT incl Paddle Shift	14-17	Axle-Back	ATAK®	2.75"	2"	4.25" RD	6.13"	Bright	19	Quad Center	11869
C7 6.2L AT/MT incl Paddle Shift	14-17	Axle-Back	ATAK®	2.75"	2"	4.25" RD	6.13"	Black	54	Quad Center	11869BC
C7 6.2L AT/MT incl Paddle Shift	14-17	Axle-Back	ATAK®	2.75"	2"	4.25" RD	6.13"	Bright	47	Quad Center	11881
C7 6.2L AT/MT incl Paddle Shift	14-17	Cat-Back™	S-Type	3"	2.5"	4.25" RD	6.13"	Bright	19	Quad Center	12669*




EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					Part #	
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit		
				Primary(s)	Secondary(s)							
» CHEVROLET (cont.)												
CORVETTE C7 (cont.)												
C7 6.2L AT/MT incl Paddle Shift	14-17	Long Tube Header	Touring	1.75"	2.75"	Requires X-Pipe 60548 and an Adapter					17289*	
C7 6.2L AT/MT incl Paddle Shift	14-17	Front Muffler		2.75"	2.75"						60558	
C7 6.2L AT/MT incl Paddle Shift	14-17	X-Pipe (Cat. Delete)		2.75"	2.75"	Use with factory manifolds					60547*	
C7 6.2L AT/MT incl Paddle Shift	14-17	X-Pipe (Retains OE cats.)		2.75"	2.75"						60548	
C7 6.2L AT/MT incl Paddle Shift	14-17	Header to X-Pipe Adapter (Cat. Delete)					Use with 60548				60550*	
C7 6.2L AT/MT incl Paddle Shift	14-17	Header to X-Pipe Adapter (includes Cats.)					Use with 60548				60551*	
C7 6.2L AT/MT incl Paddle Shift	14-17	Diffuser									77015	
CORVETTE C7 Z06/ZR1												
6.2L supercharged AT/MT incl Paddle Shift w/NPP, w/o AFM	15-16	Axle-Back	S-Type	2.75"	2.75"	4.25" RD	6.13"	Bright	19	Quad Center	11902	
6.2L supercharged AT/MT incl Paddle Shift w/NPP, w/o AFM	15-16	Axle-Back	ATAK®	2.75"	2.75"	4.25" RD	6.13"	Bright	19	Quad Center	11903	
6.2L supercharged AT/MT incl Paddle Shift w/NPP, w/o AFM	15-16	Axle-Back	ATAK®	2.75"	2.75"	4.25" RD	6.13"	Bright	47	Quad Center	11905	
6.2L supercharged AT/MT incl Paddle Shift	15-16	Axle-Back	S-Type	2.75"	2"	4.25" RD	6.13"	Bright	19	Quad Center	11908	
6.2L supercharged AT/MT incl Paddle Shift	15-16	Axle-Back	S-Type	2.75"	2"	4.25" RD	6.13"	Bright	47	Quad Center	11910	
6.2L supercharged AT/MT incl Paddle Shift	15-16	Axle-Back	ATAK®	2.75"	2"	4.25" RD	6.13"	Bright	19	Quad Center	11909	
6.2L supercharged AT/MT incl Paddle Shift	15-16	Axle-Back	ATAK®	2.75"	2"	4.25" RD	6.13"	Bright	47	Quad Center	11911	
C7 6.2L AT/MT incl Paddle Shift	14-16	X-Pipe (Retains OE cats.)		2.75"	2.75"						60548	



www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
CRUZE											
1.4L/1.8L AT/MT FWD 4DR	11-15	Cat-Back™	S-Type	2.25"	2.25"	3.5" x 2.75" OV	4"	Bright	17	Single Rear (L)	140352
IMPALA											
Impala (LS1 Swap) V8 AT/MT RWD 2+4DR	1962	Manifold-Back	Touring	2.5"	2"	2" RD TD		Bright	33	Single Split Rear	100405
Impala (LS1 Swap) V8 AT/MT RWD 2+4DR	1962	Manifold-Back	Touring	2.5"	2"	2" RD TD		Bright	33	Single Split Side	100405
Impala Small Block V8 AT/MT RWD 2+4DR	1962	Manifold-Back	Touring	2.5"	2"	2" RD TD		Bright	33	Single Split Rear	100409
Impala Small Block V8 AT/MT RWD 2+4DR	1962	Manifold-Back	Touring	2.5"	2"	2" RD TD		Bright	33	Single Split Side	100409
SS 5.7L V8 AT RWD 4DR	94-96	Cat-Back™ (H-Pipe)	Touring	2.25"	2"	4" RD	8.5"	Bright	10	Single Split Rear	14504
SILVERADO 1500											
4.8L/5.3L V8 AT/MT 2+4WD EC SB (inc Z-71) inc. Classic	99-07	Cat-Back™	Touring	3"	2.25"	4" RD	14"	Bright	36	Single Split Rear	14824
4.8L/5.3L V8 AT/MT 2+4WD RC SB inc. Classic	99-07	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Bright	36	Single Split Side	14940
4.3L V6/4.8L/5.3L V8 AT/MT 2+4WD EC SB inc. Classic	99-07	Cat-Back™	Touring	3"	3"	4" RD	14"	Bright	36	Single Side (R)	140014
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 4DR EC STB(78.7") CC SB (69.3")	07-08	Cat-Back™	Touring	2.75"	2.25"	4" RD	12"	Bright	36	Single Split Rear	140231
4.8L/5.3L/6.0L V8 AT/MT 2+4WD EC STB (78.7") CC SB (69.3")	07-08	Cat-Back™	Touring	2.75"	2.75"	4" RD	14"	Bright	36	Single Side (R)	140230
4.8L/5.3L/6.0L V8 AT/MT 2+4WD EC STB (78.7") CC SB (69.3")	07-08	Cat-Back™	Touring	2.75"	2.25"	4" RD	12"	Bright	36	Single Split Side	140232
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3")	09-13	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140340
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3")	09-13	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140341
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3")	09-13	Cat-Back™	Touring	2.75"	2.75"	4" RD	13"	Bright	36	Single Side (R)	140343
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3")	09-13	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140429
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 2DR RC STB (78.7")	09-13	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140342
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 2DR RC STB (78.7")	09-13	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140344
6.2L V8 AT 2+4WD 2+4DR EC STB (78.7") CC SB (69.3")	11-13	Cat-Back™	Touring	3.5"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140420
6.2L V8 AT 2+4WD 2+4DR EC STB (78.7") CC SB (69.3")	11-13	Cat-Back™	S-Type	3.5"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140437



EXHAUST SYSTEM APPLICATIONS

TIP & EXIT INFO — SEE IMAGES BELOW																				
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #									
				Primary(s)	Secondary(s)															
» CHEVROLET (cont.)																				
SILVERADO 1500 (cont.)																				
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140535									
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Black	49	Single Split Rear	140535BC									
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140536									
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Black	49	Single Split Rear	140536BC									
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140537									
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Black	49	Single Split Rear	140537BC									
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140544									
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140545									
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140546									
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Black	49	Single Split Side	140546BC									
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	18	Dual Side (R)	140550									
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Black	50	Dual Side (R)	140550BC									
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140538									
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Black	49	Single Split Rear	140538BC									
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140539									
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140540									
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140547									
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140548									
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140549									
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	18	Dual Side (R)	140551									
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Black	50	Dual Side (R)	140551BC									
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	Touring	3.5"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140570									
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	3.5"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140571									
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	3.5"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140572									

SOUND LEVELS

FULL DETAILS PGS. 6-7

STOCK

TOURING

S-TYPE

ATAK®



TIP STYLES
FOR EXHAUST SYSTEMS ON THESE TWO PAGES

18

29

35

36


39

47

49

50

www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
SILVERADO 1500 (cont.)											
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	3.5"	2.25"	4" RD	14"	Bright	18	Dual Side (R)	140576
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	3.5"	2.25"	4" RD	14"	Black	50	Dual Side (R)	140576BC
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	3.5"	2.25"	4" RD	14"	Bright	18	Dual Side (R)	140577
SS											
6.2L AT RWD 4DR	14-15	Axle-Back	Touring	2.25"	2.25"	3.19" RD	5"	Bright	47	Dual Split Rear	11884
6.2L AT RWD 4DR	14-15	Axle-Back	S-Type	2.25"	2.25"	3.19" RD	5"	Bright	47	Dual Split Rear	11885
SUBURBAN 1500											
5.3L V8 AT 2+4WD 4DR	07-08	Cat-Back™	Touring	2.75"	2"	4.25" x 3.5" OV	12"	Bright	29	Dual Side (R)	140235
5.3L AT 2+4WD 4DR	09-14	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140423
5.3L V8 AT 2+4WD 4DR	15-16	Cat-Back™	Touring	2.75"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140558
SUBURBAN 2500											
6.0L V8 AT 2+4WD 4DR	07-08	Cat-Back™	Touring	2.75"	2"	4.25" x 3.5" OV	12"	Bright	29	Dual Side (R)	140235
TAHOE											
4.8L/5.3L V8 AT 2+4WD 4DR	07-08	Cat-Back™	Touring	2.75"	2"	4" RD	13"	Bright	18	Dual Side (R)	140193
5.3L V8 AT 2+4WD 4DR	09-13	Cat-Back™	Touring	3"	2.5"	4" RD	12"	Bright	18	Dual Side (R)	140424
5.3L V8 AT 2+4WD 4DR	15-16	Cat-Back™	Touring	2.75"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140557
TRAILBLAZER SS											
6.0L V8 AT 2+4WD 4DR	06-09	Cat-Back™	S-Type	3"	2.25"	4" RD	12"	Bright	36	Single Split Rear	140206
» CHRYSLER											
300											
3.6L V6 AT/MT RWD 4DR	11-14	Cat-Back™	Touring	2.25"	2.25"	USES FACTORY STOCK EXIT				Single Split Rear	140448
3.6L V6 AT/MT RWD 4DR	15-16	Cat-Back™	S-Type	2.25"	2.25"	USES FACTORY STOCK EXIT				Single Split Rear	140685
3.6L V6 AT/MT RWD 4DR	15-16	Cat-Back™	ATAK®	2.25"	2.25"	USES FACTORY STOCK EXIT				Single Split Rear	140686
300C											
5.7L V8 AT RWD/AWD 4DR	05-10	Cat-Back™	S-Type	2.5"	2.25"	5" RD	12"	Bright	39	Single Split Rear	140125
5.7L V8 w/Eagle Head AT/MT RWD 4DR	09-16	Long Tube Header		1.75"	2.5"						17256*
5.7L V8 AT/MT RWD/AWD 4DR	11-14	Cat-Back™	Touring	2.5"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140442
5.7L V8 AT/MT RWD/AWD 4DR	11-14	Cat-Back™	S-Type	2.5"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140443
5.7L V8 AT/MT RWD/AWD 4DR	15-16	Cat-Back™	Touring	2.5"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140635
5.7L V8 AT/MT RWD/AWD 4DR	15-16	Cat-Back™	S-Type	2.5"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140636
5.7L V8 AT/MT RWD/AWD 4DR	15-16	Cat-Back™	ATAK®	2.5"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140637
SRT-8 6.1L V8 AT RWD 4DR	05-10	Cat-Back™	S-Type	2.75"	2.75"	4" RD	8"	Bright	35	Single Split Rear	140305
SRT-8 6.1L V8 AT RWD 4DR	05-10	Cat-Back™	ATAK®	2.75"	2.75"	4" RD	10.5"	Bright	36	Single Split Rear	140407
SRT-8 6.4L V8 AT RWD 4DR	12-14	Axle-Back	S-Type	3"	3"	4.5" RD	10"	Bright	35	Single Split Rear	11832
SRT-8 6.4L V8 AT RWD 4DR	12-14	Axle-Back	S-Type	3"	3"	4.5" RD	10"	Black	49	Single Split Rear	11832BC
SRT-8 6.4L V8 AT RWD 4DR	12-14	Axle-Back	ATAK®	3"	3"	4.5" RD	10"	Bright	35	Single Split Rear	11833
SRT-8 6.1L/6.4L V8 AT/MT RWD 4DR	08-14	Long Tube Header		1.75"	2.75"						17250*



EXHAUST SYSTEM APPLICATIONS

TIP & EXIT INFO — SEE IMAGES BELOW											
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
» DODGE											
CHALLENGER SE/SXT											
SE 3.5L V6 AT RWD 2DR	09-10	Cat-Back™	S-Type	2"	2"	4" x 2.5" REC		Bright	43	Dual Split Rear	140316
SE/SXT 3.6L V6 AT/MT RWD 2DR	11-14	Cat-Back™	S-Type	2.25"	2.25"	4" x 2.5" REC		Bright	43	Dual Split Rear	140482
SXT 3.6L V6 AT/MT RWD 2DR	15-16	Cat-Back™	S-Type	2.25"	2.25"	USES FACTORY STOCK EXIT				Dual Split Rear	140649
SXT 3.6L V6 AT/MT RWD 2DR	15-16	Cat-Back™	ATAK®	2.25"	2.25"	USES FACTORY STOCK EXIT				Dual Split Rear	140650
CHALLENGER RT											
RT 5.7L V8 AT/MT RWD 2DR	09-14	Cat-Back™	Touring	2.5"	2.5"	4" x 2.5" REC		Bright	43	Dual Split Rear	140297
RT 5.7L V8 AT/MT RWD 2DR	09-14	Cat-Back™	S-Type	2.5"	2.5"	4" x 2.5" REC		Bright	43	Dual Split Rear	140306
RT 5.7L V8 AT/MT RWD 2DR	09-14	Cat-Back™	ATAK®	2.5"	2.5"	4" x 2.5" REC		Bright	43	Dual Split Rear	140384
5.7L V8 w/Eagle Head AT/MT RWD 4DR	09-14	Long Tube Header		1.75"	2.5"						17256*
RT 5.7L V8 AT/MT RWD 2DR	15-16	Cat-Back™	Touring	2.5"	2.5"	4" x 2.5" REC		Bright	43	Dual Split Rear	140626
RT 5.7L V8 AT/MT RWD 2DR	15-16	Cat-Back™	S-Type	2.5"	2.5"	4" x 2.5" REC		Bright	43	Dual Split Rear	140627
RT 5.7L V8 AT/MT RWD 2DR	15-16	Cat-Back™	ATAK®	2.5"	2.5"	4" x 2.5" REC		Bright	43	Dual Split Rear	140628
CHALLENGER SRT-8/392 HEMI/SCAT PACK											
SRT-8 6.1L V8 AT/MT RWD 2DR	08-10	Cat-Back™	S-Type	2.75"	2.75"	4" x 2.5" REC		Bright	43	Dual Split Rear	140286
392 SRT-8 6.4L V8 AT/MT RWD 2DR	11-14	Cat-Back™	S-Type	2.75"	2.75"	4" x 2.5" REC		Bright	43	Dual Split Rear	140435
392 SRT-8 6.4L V8 AT/MT RWD 2DR	11-14	Cat-Back™	ATAK	2.75"	2.75"	4" x 2.5" REC		Bright	43	Dual Split Rear	140436
SRT-8 6.1L/6.4L V8 AT/MT RWD 2DR	08-14	Long Tube Header		1.75"	2.75"						17250*
SRT/392Hemi/Scat Pack 6.4L V8 AT/MT RWD 2DR w/valve simulator	15-16	Cat-Back™	Touring	2.75"	2.75"	USES FACTORY STOCK EXIT				Dual Split Rear	140676
SRT/392Hemi/Scat Pack 6.4L V8 AT/MT RWD 2DR w/valve simulator	15-16	Cat-Back™	S-Type	2.75"	2.75"	USES FACTORY STOCK EXIT				Dual Split Rear	140677
SRT/392Hemi/Scat Pack 6.4L V8 AT/MT RWD 2DR w/valve simulator	15-16	Cat-Back™	ATAK®	2.75"	2.75"	USES FACTORY STOCK EXIT				Dual Split Rear	140678
SRT/392Hemi/Scat Pack 6.4L V8 AT/MT RWD 2DR w/valves	15-16	Cat-Back™	Touring	2.75"	2.75"	USES FACTORY STOCK EXIT				Dual Split Rear	140639
SRT/392Hemi/Scat Pack 6.4L V8 AT/MT RWD 2DR w/valves	15-16	Cat-Back™	S-Type	2.75"	2.75"	USES FACTORY STOCK EXIT				Dual Split Rear	140640
SRT/392Hemi/Scat Pack 6.4L V8 AT/MT RWD 2DR w/valves	15-16	Cat-Back™	ATAK®	2.75"	2.75"	USES FACTORY STOCK EXIT				Dual Split Rear	140641
6.2L V8 AT/MT RWD 2DR	15-16	Long Tube Header		1.75"	2.75"						17292*



www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
CHALLENGER SRT HELLCAT											
6.2L V8 AT/MT RWD 2DR w/valve simulator	15-16	Cat-Back™	S-Type	3"	3"	USES FACTORY STOCK EXIT				Dual Split Rear	140647
6.2L V8 AT/MT RWD 2DR w/valve simulator	15-16	Cat-Back™	ATAK®	3"	3"	USES FACTORY STOCK EXIT				Dual Split Rear	140648
6.2L V8 AT/MT RWD 2DR w/valves	15-16	Cat-Back™	S-Type	3"	3"	USES FACTORY STOCK EXIT				Dual Split Rear	140642
6.2L V8 AT/MT RWD 2DR w/valves	15-16	Cat-Back™	ATAK®	3"	3"	USES FACTORY STOCK EXIT				Dual Split Rear	140646
6.2L V8 AT/MT RWD 2DR	15-16	Long Tube Header		1.75"	2.75"						17292*
CHARGER SE/SXT											
SXT/SE 3.5L V6 AT/MT RWD/AWD 4DR	06-10	Cat-Back™	S-Type	2.5"	2.25"	4.25" x 3.5" OV	7.75"	Bright	17	Single Split Rear	140197
3.6L V6 AT/MT RWD 4DR	11-14	Cat-Back™	S-Type	2.5"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140448
3.6L V6 AT/MT RWD 4DR	15-16	Cat-Back™	S-Type	2.25"	2.25"	USES FACTORY STOCK EXIT				Single Split Rear	140685
3.6L V6 AT/MT RWD 4DR	15-16	Cat-Back™	ATAK®	2.25"	2.25"	USES FACTORY STOCK EXIT				Single Split Rear	140686
CHARGER RT											
RT 5.7L V8 AT RWD/AWD 4DR	06-10	Cat-Back™	S-Type	2.5"	2.25"	5" RD	12"	Bright	39	Single Split Rear	140125
5.7L V8 w/Eagle Head AT/MT RWD 4DR	09-16	Long Tube Header		1.75"	2.5"						17256*
RT 5.7L V8 AT/MT RWD/AWD 4DR	11-14	Cat-Back™	Touring	2.5"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140442
RT 5.7L V8 AT/MT RWD/AWD 4DR	11-14	Cat-Back™	S-Type	2.5"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140443
RT 5.7L V8 AT/MT RWD/AWD 4DR	15-16	Cat-Back™	Touring	2.5"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140635
RT 5.7L V8 AT/MT RWD/AWD 4DR	15-16	Cat-Back™	S-Type	2.5"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140636
RT 5.7L V8 AT/MT RWD/AWD 4DR	15-16	Cat-Back™	ATAK®	2.5"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140637
CHARGER SRT-8/SRT 392/SCAT PACK											
SRT-8 6.1L V8 AT RWD 4DR	06-10	Cat-Back™	S-Type	2.75"	2.75"	4" RD	8"	Bright	35	Single Split Rear	140305
SRT-8 6.1L V8 AT RWD 4DR	06-10	Cat-Back™	ATAK®	2.75"	2.75"	4" RD	10.5"	Bright	36	Single Split Rear	140407
SRT-8 6.4L V8 AT RWD 4DR	12-14	Axle-Back	S-Type	3"	3"	4.5" RD	10"	Bright	35	Single Split Rear	11832
SRT-8 6.4L V8 AT RWD 4DR	12-14	Axle-Back	S-Type	3"	3"	4.5" RD	10"	Black	49	Single Split Rear	11832BC
SRT-8 6.4L V8 AT RWD 4DR	12-14	Axle-Back	ATAK®	3"	3"	4.5" RD	10"	Bright	35	Single Split Rear	11833
SRT-8 6.1L/6.4L V8 AT/MT RWD 4DR	08-14	Long Tube Header		1.75"	2.75"						17250*
SRT 392/Scat Pack 6.4L V8 AT RWD 2DR w/valve simulator	15-16	Cat-Back™	Touring	2.75"	2.75"	USES FACTORY STOCK EXIT				Single Split Rear	140673
SRT 392/Scat Pack 6.4L V8 AT RWD 2DR w/valve simulator	15-16	Cat-Back™	S-Type	2.75"	2.75"	USES FACTORY STOCK EXIT				Single Split Rear	140674
SRT 392/Scat Pack 6.4L V8 AT RWD 2DR w/valve simulator	15-16	Cat-Back™	ATAK®	2.75"	2.75"	USES FACTORY STOCK EXIT				Single Split Rear	140675
SRT 392/Scat Pack 6.4L V8 AT RWD 2DR w/valves	15-16	Cat-Back™	Touring	2.75"	2.75"	USES FACTORY STOCK EXIT				Single Split Rear	140670
SRT 392/Scat Pack 6.4L V8 AT RWD 2DR w/valves	15-16	Cat-Back™	S-Type	2.75"	2.75"	USES FACTORY STOCK EXIT				Single Split Rear	140671
SRT 392/Scat Pack 6.4L V8 AT RWD 2DR w/valves	15-16	Cat-Back™	ATAK®	2.75"	2.75"	USES FACTORY STOCK EXIT				Single Split Rear	140672
CHARGER SRT HELLCAT											
6.2L V8 AT/MT RWD 2DR w/valve simulator	15-16	Cat-Back™	S-Type	3"	3"	USES FACTORY STOCK EXIT				Single Split Rear	140668
6.2L V8 AT/MT RWD 2DR w/valve simulator	15-16	Cat-Back™	ATAK®	3"	3"	USES FACTORY STOCK EXIT				Single Split Rear	140669
SRT-8 6.2L V8 AT RWD 4DR w/valves	15-16	Cat-Back™	S-Type	3"	3"	USES FACTORY STOCK EXIT				Single Split Rear	140666
SRT-8 6.2L V8 AT RWD 4DR w/valves	15-16	Cat-Back™	ATAK®	3"	3"	USES FACTORY STOCK EXIT				Single Split Rear	140667

TIP EXITS

ACTUAL PIPE CONTOURS VARY BY APPLICATION



EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					Part #
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	
				Primary(s)	Secondary(s)						
» DODGE (cont.)											
DURANGO											
5.7L AT 2+4WD 4DR	11-16	Cat-Back™	S-Type	2.5"	2.5"	4" RD	6"	Bright	35	Single Split Rear	140449
MAGNUM											
SXT/SE 3.5L V6 AT/MT RWD/AWD 4DR	05-08	Cat-Back™	S-Type	2.5"	2.25"	4.25" x 3.5" OV	7.75"	Bright	17	Single Split Rear	140197
RT 5.7L V8 AT RWD/AWD 4DR	05-08	Cat-Back™	S-Type	2.5"	2.25"	5" RD	12"	Bright	39	Single Split Rear	140125
SRT-8 6.1L V8 AT RWD 4DR	05-08	Cat-Back™	S-Type	2.75"	2.75"	4" RD	8"	Bright	35	Single Split Rear	140305
SRT-8 6.1L V8 AT RWD 4DR	06-08	Cat-Back™	ATAK®	2.75"	2.75"	4" RD	10.5"	Bright	36	Single Split Rear	140407
SRT-8 6.1L/6.4L V8 AT/MT RWD 4DR	06-08	Long Tube Header		1.75"	2.75"						17250*
NEON											
SRT-4 2.4L Turbo MT FWD 4DR	03-05	Cat-Back™	S-Type	2.5"	2.25"	4" RD	12"	Bright	36	Single Split Rear	140070
STEALTH											
R/T V6 Twin Turbo AT/MT AWD 2DR	91-96	Cat-Back™	S-Type	3"	2.5"	3.5" RD	7"	Bright	10	Single Split Rear	15443
VIPER											
GTS/RT-10 8.0L V10 MT RWD 2DR	96-02	Cat-Back™	Touring	3"	3"	4" RD	6.25"	Bright	18	Dual Center Rear	140049
GTS/RT-10 8.0L V10 MT RWD 2DR	96-02	Cat-Back™	S-Type	3"	3"	4" RD	6.25"	Bright	18	Dual Center Rear	14663
SRT-10 8.3L V10 MT RWD 2DR	03-08	Cat-Back™	S-Type	2.5"	2.5"	3.63" RD	3"	Bright	35	Single Split Side	140048
» FORD											
CROWN VICTORIA											
4.6L AT RWD 4DR	03-11	Cat-Back™	Touring	2.25"	2"			Bright	33	Single Split Rear	140360
EXPLORER											
3.5L Ecoboost AT 2+4WD 4DR	12-15	Cat-Back™	S-Type	2.25"	2.5"	3.5" RD	4.63"	Bright	35	Single Split Rear	140656
3.5L V6 AT FWD 4DR (Naturally Aspirated)	16-17	Cat-Back™	Touring	2.25"	2.5"	3.5" RD	4.63"	Bright	35	Single Split Rear	140658
Sport 3.5L Ecoboost AT AWD 4DR	16-17	Cat-Back™	S-Type	2.25"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140659
F-150 TRUCKS (Turbo Upgrade Kits see Page 55)											
4.6L/5.4L V8 AT/MT 2+4WD CC SB	98-03	Cat-Back™	Touring	2.5"	2.25"	4" RD	14"	Bright	36	Single Split Rear	14925
Lightning 5.4L V8 SprChrgd AT 2WD 2DR RC SB	99-04	Cat-Back™	Touring	2.5"	2.5"	3" RD	10.75"	Bright	24	Dual Side (R)	14872
4.6L/5.4L V8 AT/MT 2+4WD EC CC SB	6/04-08	Cat-Back™	Touring	3"	3"	4" RD	14"	Bright	36	Single Side (R)	140136
4.6L/5.4L V8 AT/MT 2+4WD EC CC SB	6/04-08	Cat-Back™	Touring	3"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140137
4.6L/5.4L V8 AT/MT 2+4WD EC CC SB	09-10	Cat-Back™	Touring	3"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140291
Raptor 5.4L V8 AT/MT 2+4WD EC CC SB (67.0")	09-10	Cat-Back™	S-Type	3"	2.5"	4" RD	14"	Bright	18	Dual Side (R)	140346
Raptor 6.2L V8 AT 4WD EC CC SB (67.0")	10-14	Cat-Back™	Touring	3"	2.5"	4" RD	14"	Bright	18	Dual Side (R)	140404
Raptor 6.2L V8 AT 4WD EC CC SB (67.0")	10-14	Cat-Back™	S-Type	3"	2.5"	4" RD	14"	Bright	18	Dual Side (R)	140383
Harley Davidson 6.2L V8 AT 4WD EC CC SB (67.0")	11-13	Cat-Back™	Touring	3"	2.5"	4" RD	14"	Bright	18	Dual Side (R)	140404
Harley Davidson 6.2L V8 AT 4WD EC CC SB (67.0")	11-13	Cat-Back™	S-Type	3"	2.5"	4" RD	14"	Bright	18	Dual Side (R)	140383
SOUND LEVELS FULL DETAILS PGS. 6-7											
STOCK TOURING S-TYPE ATAK®											

TIP STYLES
FOR EXHAUST SYSTEMS ON THESE TWO PAGES

10

17

18

24

33

35

www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
3.5L V6 Ecoboost AT 2+4WD 2+4DR EC STB (78") CC SB (67.0")	11-14	Cat-Back™	Touring	3"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140438
3.5L V6 Ecoboost AT 2+4WD 2+4DR EC STB (78"), CC SB (67.0")	11-14	Cat-Back™	S-Type	3"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140466
5.0L AT/MT 2+4WD EC STB(78.8") CC SB (67.0")WB 144.5"	11-14	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140415
5.0L AT/MT 2+4WD EC STB(78.8") CC SB (67.0")WB 144.5"	11-14	Cat-Back™	S-Type	3"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140416
5.0L AT/MT 2+4WD EC STB(78.8") CC SB (67.0")WB 144.5"	11-14	Cat-Back™	S-Type	3"	2.25"	4" RD	14"	Black	49	Single Split Rear	140416BC
5.0L AT/MT 2+4WD EC STB (78.8") CC SB (67.0")WB 144.5"	11-14	Cat-Back™	ATAK®	3"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140417
Raptor 6.2L V8 AT/MT 2+4WD EC CC SB (67.0") STB (78")	11-14	Long Tube Header		1.75"	2.75"						17286*
5.0L AT/MT 2+4WD 4DR CC STB (78") WB 156.5"	11-14	Adapter Pipe -	for use with 140415, 140416 and 140517 to allow them to fit CC STB Trucks								60554
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Bright	36	Single Split Rear	140614
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Black	49	Single Split Rear	140614BC
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	S-Type	3"	2.25"	4" RD	12"	Bright	36	Single Split Rear	140615
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	S-Type	3"	2.25"	4" RD	12"	Black	49	Single Split Rear	140615BC
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	ATAK®	3"	2.25"	4" RD	12"	Bright	36	Single Split Rear	140616
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	ATAK®	3"	2.25"	4" RD	12"	Black	49	Single Split Rear	140616BC





TIP EXITS
ACTUAL PIPE CONTOURS VARY BY APPLICATION

SINGLE REAR (L)

DUAL REAR (L)

SINGLE REAR (R)

DUAL REAR (R)

SINGLE SPLIT REAR

DUAL SPLIT REAR

DUAL CENTER REAR

QUAD CENTER

SINGLE SIDE (L)

DUAL SIDE (L)

SINGLE SIDE (R)

DUAL SIDE (R)

SINGLE SPLIT SIDE

36

39


49

BORLA®

WE BUILD EXCITEMENT

EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
» FORD (cont.)											
F-150 TRUCKS (cont.) Turbo Upgrade Kits see page 12											
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140617
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Black	50	Dual Side (R)	140617BC
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	S-Type	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140618
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	S-Type	3"	2.25"	4" RD	12"	Black	50	Dual Side (R)	140618BC
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	ATAK®	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140619
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC STB (78.8") CC SB (67.0") WB 145"	15-16	Cat-Back™	ATAK®	3"	2.25"	4" RD	12"	Black	50	Dual Side (R)	140619BC
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD CC STB (78.8") WB 157"	15-16	Adapter		3"	Adapts Cat-Backs for CC SB to use on CC STB						60556
2.7L/3.5L V6 Ecoboost/5.0L V8 AT/MT 2+4WD EC LB (96") WB 163"	15-16	Adapter		3"	Adapts Cat-Backs for EC STB to use on EC LB						60564
F-250/350											
5.4L V8/6.8L V10 SD 2+4WD RC EC CC SB LB	99-04	Cat-Back™	Touring	3"	3"	4" RD	13"	Bright	36	Single Rear (R)	140050
FIESTA											
ST 1.6L MT FWD 4DR Hatchback	14-16	Cat-Back™	S-Type	2.25"	2"	3.19" RD	4.75"	Bright	18	Dual Rear (R)	140525
FOCUS											
2.0L AT/MT FWD 4DR Sedan	12-15	Cat-Back™	S-Type	2.25"	2.25"	3" RD	4"	Bright	46	Dual Rear (R)	140454
2.0L AT/MT FWD 5DR Hatchback w/o sport package, w/o PZEV	12-16	Cat-Back™	Touring	2.25"	2.25"	3" RD	4"	Bright	46	Dual Rear (R)	140400
ST 2.0L MT FWD 5DR Hatchback	13-16	Cat-Back™	Touring	2.5"	2.5"	4.5" RD	5.75"	Bright	18	Dual Center Rear	140504
GT											
5.4L MT RWD	05-06	Cat-Back™	S-Type	3"	3"	4.25" RD	4"	Bright	19	Dual Center Rear	140310
5.4L MT RWD	05-06	Header/Collector Muffler		1.75"	3"	4.25" RD	4"	Bright	4	Dual Center Rear	12657*
5.4L MT RWD	05-06	Long Tube Header		1.75"	3"						17253*
5.4L MT RWD	05-06	Racing Pre-Mufflers		3"	3"						60507*




www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
MUSTANG BOSS 302											
5.0L V8 AT/MT	12	Cat-Back™	S-Type	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	140370
5.0L V8 AT/MT	12	Cat-Back™	ATAK®	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	140372
5.0L V8 AT/MT	12	Axle-Back	Touring	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11790
5.0L V8 AT/MT	12	Axle-Back	S-Type	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11789
5.0L V8 AT/MT	12	Axle-Back	ATAK®	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11791
5.0L V8 AT/MT	13	Cat-Back™	Touring	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	140514
5.0L V8 AT/MT	13	Cat-Back™	S-Type	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	140515
5.0L V8 AT/MT	13	Cat-Back™	S-Type	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	140515BC
5.0L V8 AT/MT	13	Cat-Back™	ATAK®	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	140516
5.0L V8 AT/MT	13	Cat-Back™	ATAK®	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	140516BC
5.0L V8 AT/MT	13	Axle-Back	Touring	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11836
5.0L V8 AT/MT	13	Axle-Back	Touring	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	11836BC
5.0L V8 AT/MT	13	Axle-Back	S-Type	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11837
5.0L V8 AT/MT	13	Axle-Back	ATAK®	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11838
5.0L V8 AT/MT	12	Long Tube Header		1.75"	2.75"						17263*
MUSTANG COBRA											
5.0L V8 AT/MT	94-95	Cat-Back™	S-Type	2.5"	2.5"	3.5" RD	7"	Bright	10	Single Split Rear	14445
4.6L/5.4L V8 MT (IRS)	99-04	Cat-Back™	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140052
4.6L/5.4L V8 MT (IRS)	99-04	Cat-Back™	ATAK®	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140446
MUSTANG ECOBOOST											
2.3L Turbo AT/MT RWD	15-17	Cat-Back™	Touring	2.25"	2.25"	4" RD	9.5"	Bright	36	Single Split Rear	140583
2.3L Turbo AT/MT RWD	15-17	Cat-Back™	S-Type	2.25"	2.25"	4" RD	9.5"	Bright	36	Single Split Rear	140584
2.3L Turbo AT/MT RWD	15-17	Cat-Back™	ATAK®	2.25"	2.25"	4" RD	9.5"	Bright	36	Single Split Rear	140585
2.3L Turbo AT/MT RWD	15-17	Axle-Back	S-Type	2.25"	2.25"	4" RD	9.5"	Bright	36	Single Split Rear	11889
2.3L Turbo AT/MT RWD	15-17	Axle-Back	ATAK®	2.25"	2.25"	4" RD	9.5"	Bright	36	Single Split Rear	11890
2.3L Turbo AT/MT RWD	15-17	Front Muffler	Touring			Use with 11889 for Touring sound					60560
2.3L Turbo AT/MT RWD	15-17	Downpipe w/o Cat		3"	2.5"/2.25"						60559*
2.3L Turbo AT/MT RWD	15-16	Mid-Pipes		2.25"	2.25"		Use w/ 60560				60571



TIP EXITS

ACTUAL PIPE CONTOURS VARY BY APPLICATION



EXHAUST SYSTEM APPLICATIONS



EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
» FORD (cont.)											
MUSTANG GT											
351CID V8	1967-70	Header		1.65"	2.5"						17277
5.0L V8 AT/MT	87-93	Cat-Back™	S-Type	2.25"	2"	2.25" RD		Bright	33	Single Split Rear	14139
5.0L V8 AT/MT	94-95	Cat-Back™	S-Type	2.5"	2.5"	3.5" RD	7"	Bright	10	Single Split Rear	14445
4.6L V8 AT/MT	99-04	Cat-Back™	Touring	2.5"	2.5"	4" RD	14"	Bright	36	Single Split Rear	14834
4.6L V8 AT/MT	99-04	Cat-Back™	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140067
4.6L V8 AT/MT	99-04	Cat-Back™	ATAK®	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140458
4.6L V8 AT/MT	05-09	Cat-Back™	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140135
4.6L V8 AT/MT	05-09	Cat-Back™	ATAK®	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140382
4.6L V8 AT/MT	05-09	Cat-Back™ w/X-Pipe	S-Type	3"	3"	4" RD	12"	Bright	36	Single Split Rear	140266
4.6L V8 AT/MT	05-09	Axle-Back	Touring	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	11752
4.6L V8 AT/MT	05-09	Axle-Back	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	11750
4.6L V8 AT/MT	05-09	Axle-Back	ATAK®	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	11806
4.6L V8 AT/MT	10	Cat-Back™	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140318
4.6L V8 AT/MT	10	Cat-Back™	ATAK®	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140329
4.6L V8 AT/MT	10	Axle-Back	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	11777
4.6L V8 AT/MT	05-10	Long Tube Header w/X-Pipe		1.75"	2.5"						17237*
4.6L V8 AT/MT	05-10	X-Pipe 2.5" (Note: Use with Cat-Back™ does not fit 17242)									60092
4.6L V8 AT/MT	08-10	X-Pipe									60510
5.0L V8 AT/MT	11-12	Cat-Back™	S-Type	3"	3"	4.5" RD	10"	Bright	36	Single Split Rear	140389
5.0L V8 AT/MT	11-12	Cat-Back™	S-Type	3"	3"	4.5" RD	10"	Black	49	Single Split Rear	140389BC
5.0L V8 AT/MT	11-12	Cat-Back™	S-Type	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	140370
5.0L V8 AT/MT	11-12	Cat-Back™	S-Type	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	140370BC
5.0L V8 AT/MT	11-12	Cat-Back™	ATAK®	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	140372
5.0L V8 AT/MT	11-12	Cat-Back™	ATAK®	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	140372BC
5.0L V8 AT/MT	11-12	Axle-Back	S-Type	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11789
5.0L V8 AT/MT	11-12	Axle-Back	S-Type	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	11789BC
5.0L V8 AT/MT	11-12	Axle-Back	ATAK®	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11791
5.0L V8 AT/MT	11-12	Axle-Back	ATAK®	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	11791BC
5.0L V8 AT/MT	13-14	Cat-Back™	S-Type	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	140515
5.0L V8 AT/MT	13-14	Cat-Back™	S-Type	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	140515BC
5.0L V8 AT/MT	13-14	Cat-Back™	ATAK®	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	140516
5.0L V8 AT/MT	13-14	Cat-Back™	ATAK®	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	140516BC
5.0L V8 AT/MT	13-14	Axle-Back	Touring	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11836
5.0L V8 AT/MT	13-14	Axle-Back	Touring	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	11836BC
5.0L V8 AT/MT	13-14	Axle-Back	S-Type	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11837
5.0L V8 AT/MT	13-14	Axle-Back	S-Type	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	11837BC
5.0L V8 AT/MT	13-14	Axle-Back	ATAK®	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11838
5.0L V8 AT/MT	13-14	Axle-Back	ATAK®	2.75"	2.75"	4.5" RD	10"	Black	49	Single Split Rear	11838BC
5.0L V8 AT/MT	11-14	Long Tube Header		1.75"	2.75"						17263*
5.0L V8 AT/MT	11-14	X-Pipe		2.75"	2.75"						60513
5.0L V8 AT/MT	11-14	Over Axle Pipe		2.75"	2.75"						60521

SOUND LEVELS

</



TIP & EXIT INFO — SEE IMAGES BELOW											
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
5.0L V8 AT/MT	15-17	Cat-Back™	Touring	2.5"	2.5"	4" RD	9.5"	Bright	36	Single Split Rear	140589
5.0L V8 AT/MT	15-17	Cat-Back™	Touring	2.5"	2.5"	4" RD	9.5"	Black	49	Single Split Rear	140589BC
5.0L V8 AT/MT	15-17	Cat-Back™	S-Type	2.5"	2.5"	4" RD	9.5"	Bright	36	Single Split Rear	140590
5.0L V8 AT/MT	15-17	Cat-Back™	S-Type	2.5"	2.5"	4" RD	9.5"	Black	49	Single Split Rear	140590BC
5.0L V8 AT/MT	15-17	Cat-Back™	ATAK®	2.5"	2.5"	4" RD	9.5"	Bright	36	Single Split Rear	140591
5.0L V8 AT/MT	15-17	Cat-Back™	ATAK®	2.5"	2.5"	4" RD	9.5"	Black	49	Single Split Rear	140591BC
5.0L V8 AT/MT	15-17	Cat-Back™	S-Type	3"	3"	4" RD	9.5"	Bright	36	Single Split Rear	140629
5.0L V8 AT/MT	15-17	Cat-Back™	S-Type	3"	3"	4" RD	9.5"	Black	49	Single Split Rear	140629BC
5.0L V8 AT/MT	15-17	Cat-Back™	ATAK®	3"	3"	4" RD	9.5"	Bright	36	Single Split Rear	140630
5.0L V8 AT/MT	15-17	Axle-Back	S-Type	2.5"	2.5"	4" RD	9.5"	Bright	36	Single Split Rear	11887
5.0L V8 AT/MT	15-17	Axle-Back	S-Type	2.5"	2.5"	4" RD	9.5"	Black	49	Single Split Rear	11887BC
5.0L V8 AT/MT	15-17	Axle-Back	ATAK®	2.5"	2.5"	4" RD	9.5"	Bright	36	Single Split Rear	11895
5.0L V8 AT/MT	15-17	Axle-Back	ATAK®	2.5"	2.5"	4" RD	9.5"	Black	49	Single Split Rear	11895BC
5.0L V8 AT/MT	15-17	Front Muffler	Touring			Use with 140590 or 140591 to lower sound					60561
5.0L V8 AT/MT -Left hand drive vehicle only	15-17	Long Tube Header		1.75"	2.75"						17290*
5.0L V8 AT/MT	15-17	Header Adapter	(Adapts headers 17290 to 2.5" Cat-Backs)								60566
MUSTANG SHELBY GT350											
5.2L V8 AT/MT	15-16	Cat-Back™	S-Type	2.75"	2.5"	USES FACTORY STOCK EXIT				Single Split Rear	140684




EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
» FORD (cont.)											
MUSTANG SHELBY GT500											
428CID V8	1967	Manifold-Back w/X-Pipe	S-Type	2.5"	2.5"	3" RD	6"	Bright	3	Single Split Rear	100408
4.6L/5.4L V8 AT/MT	05-09	Cat-Back™	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140135
4.6L/5.4L SC V8 AT/MT	05-09	Cat-Back™ w/X-Pipe	S-Type	3"	3"	4" RD	12"	Bright	36	Single Split Rear	140266
5.4L SC V8 MT	07-09	Cat-Back™ w/XR-1	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140210
5.4L SC V8 MT	07-09	Cat-Back™	ATAK®	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140480
5.4L SC V8 MT	10	Axle-Back	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	11784
5.4L SC V8 MT	11-12	Cat-Back™	S-Type	3"	3"	4.5" RD	10"	Bright	36	Single Split Rear	140389
5.4L SC V8 MT	11-12	Cat-Back™	ATAK®	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	140412
5.4L SC V8 MT	11-12	Axle-Back	S-Type	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11798
5.4L SC V8 MT	11-12	Axle-Back	ATAK®	2.75"	2.75"	4.5" RD	10"	Bright	36	Single Split Rear	11799
5.4L SC V8 MT	11-12	X-pipe		2.75"	2.75"						60513
5.4L/5.8L SC V8 MT	11-14	Over Axle Pipe		2.75"	2.75"						60521
5.8L SC V8 MT	13-14	Cat-Back™	S-Type	2.75"	2.75"	4" RD	6.25"	Bright	18	Dual Split Rear	140500
5.8L SC V8 MT	13-14	Cat-Back™	ATAK®	2.75"	2.75"	4" RD	6.25"	Bright	18	Dual Split Rear	140501
5.8L SC V8 MT	13-14	Axle-Back	S-Type	2.75"	2.75"	4" RD	6.25"	Bright	18	Dual Split Rear	11830
5.8L SC V8 MT	13-14	Axle-Back	ATAK®	2.75"	2.75"	4" RD	6.25"	Bright	18	Dual Split Rear	11831
5.8L SC V8 MT	13-14	X-Pipe									60540
MUSTANG V6											
4.0L V6 AT/MT	05-09	Cat-Back™ w/X-Pipe	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140176
4.0L V6 AT/MT	05-09	Axle-Back	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Rear (R)	11751
3.7L V6 AT/MT	11-14	Cat-Back™	S-Type	2.25"	2.25"	4.5" RD	10"	Bright	36	Single Split Rear	140375
3.7L V6 AT/MT	11-14	Cat-Back™	ATAK®	2.25"	2.25"	4.5" RD	10"	Bright	36	Single Split Rear	140398
3.7L V6 AT/MT	11-14	Axle-Back	Touring	2.25"	2.25"	4.5" RD	10"	Bright	36	Single Split Rear	11793
3.7L V6 AT/MT	11-14	Axle-Back	Touring	2.25"	2.25"	4.5" RD	10"	Black	49	Single Split Rear	11793BC
3.7L V6 AT/MT	11-14	Axle-Back	S-Type	2.25"	2.25"	4.5" RD	10"	Bright	36	Single Split Rear	11796
3.7L V6 AT/MT	11-14	Axle-Back	ATAK®	2.25"	2.25"	4.5" RD	10"	Bright	36	Single Split Rear	11792
3.7L V6 AT/MT	11-14	Long Tube Header		1.75"	2.25"						17272*
3.7L V6 AT/MT	11-14	X-Pipe		2.25"	2.25"						60517
3.7L V6 AT/MT	15-17	Cat-Back™	Touring	2.25"	2.25"	4" RD	9.5"	Bright	36	Single Split Rear	140586
3.7L V6 AT/MT	15-17	Cat-Back™	S-Type	2.25"	2.25"	4" RD	9.5"	Bright	36	Single Split Rear	140587
3.7L V6 AT/MT	15-17	Cat-Back™	ATAK®	2.25"	2.25"	4" RD	9.5"	Bright	36	Single Split Rear	140588
3.7L V6 AT/MT	15-17	Axle-Back	S-Type	2.25"	2.25"	4" RD	9.5"	Bright	36	Single Split Rear	11889
3.7L V6 AT/MT	15-17	Axle-Back	ATAK®	2.25"	2.25"	4" RD	9.5"	Bright	36	Single Split Rear	11890
3.7L V6 AT/MT	15-17	Resonator	Touring	2.25"	2.25"	Add to 11889 or 11890 to lower sound					60568
3.7L V6 AT/MT	15-17	Mid-Pipes		2.25"	2.25"	Use w/ 60568					60571
THUNDERBIRD											
3.9L V8 AT RWD 2DR	02	Cat-Back™	Touring	2.25"	2.25"	4" RD	8.25"	Bright	35	Single Split Rear	140008
3.9L V8 AT RWD 2DR	03	Cat-Back™	Touring	2.25"	2"	4" RD	8.25"	Bright	35	Single Split Rear	140081
SOUND LEVELS FULL DETAILS PGS. 6-7 STOCK TOURING S-TYPE ATAK®											



www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
» GMC											
CANYON											
3.6L V6 AT 2+4WD CC SB EC LB 128" WB	15-16	Cat-Back™	S-Type	2.75"	2.75"	4" RD	12"	Bright	36	Single Rear (R)	140645
3.6L V6 AT 2+4WD CC LB 140.5" WB	15-16	Extension Pipe		2.75"	2.75"						60570
SIERRA 1500											
4.8L/5.3L V8 AT/MT 2+4WD EC SB (inc Z-71) inc. Classic	99-07	Cat-Back™	Touring	3"	2.25"	4" RD	14"	Bright	36	Single Split Rear	14824
4.8L/5.3L V8 AT/MT 2+4WD RC SB inc. Classic	99-07	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Bright	36	Single Split Side	14940
4.3L V6/4.8L/5.3L V8 AT/MT 2+4WD EC SB inc. Classic	99-07	Cat-Back™	Touring	3"	3"	4" RD	14"	Bright	36	Single Side (R)	140014
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 4DR EC STB(78.7") CC SB (69.3")	07-08	Cat-Back™	Touring	2.75"	2.25"	4" RD	12"	Bright	36	Single Split Rear	140231
4.8L/5.3L/6.0L V8 AT/MT 2+4WD EC STB (78.7") CC SB (69.3")	07-08	Cat-Back™	Touring	2.75"	2.75"	4" RD	14"	Bright	36	Single Side (R)	140230
4.8L/5.3L/6.0L V8 AT/MT 2+4WD EC STB (78.7") CC SB(69.3")	07-08	Cat-Back™	Touring	2.75"	2.25"	4" RD	12"	Bright	36	Single Split Side	140232
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 4DR EC STB(78.7") CC SB (69.3")	09-13	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140340
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 4DR EC STB(78.7") CC SB (69.3")	09-13	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140341
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 4DR EC STB(78.7") CC SB (69.3")	09-13	Cat-Back™	Touring	2.75"	2.75"	4" RD	13"	Bright	36	Single Side (R)	140343
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3")	09-13	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140429
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 2DR RC STB(78.7")	09-13	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140342
4.8L/5.3L/6.0L V8 AT/MT 2+4WD 2DR RC STB(78.7")	09-13	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140344
6.2L V8 AT 2+4WD 2+4DR EC STB (78.7") CC SB (69.3")	11-13	Cat-Back™	Touring	3.5"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140420
6.2L V8 AT 2+4WD 2+4DR EC STB (78.7") CC SB (69.3")	11-13	Cat-Back™	S-Type	3.5"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140437
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140535
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Black	49	Single Split Rear	140535BC
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140536
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Black	49	Single Split Rear	140536BC
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140537
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Black	49	Single Split Rear	140537BC



EXHAUST SYSTEM APPLICATIONS


EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					Part #	
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit		
				Primary(s)	Secondary(s)							
» GMC (cont.)												
SIERRA 1500 (cont.)												
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140544	
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140545	
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140546	
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Black	49	Single Split Side	140546BC	
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	18	Dual Side (R)	140550	
5.3L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Black	50	Dual Side (R)	140550BC	
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140538	
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Black	49	Single Split Rear	140538BC	
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140539	
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140540	
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	Touring	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140547	
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140548	
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	ATAK®	2.75"	2.25"	4" RD	14"	Bright	36	Single Split Side	140549	
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Bright	18	Dual Side (R)	140551	
5.3L V8 AT/MT 2+4WD 4DR CC STB (78.7") WB 153"	14-17	Cat-Back™	S-Type	2.75"	2.25"	4" RD	14"	Black	50	Dual Side (R)	140551BC	
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	Touring	3.5"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140570	
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	3.5"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140571	
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	3.5"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140572	
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	3.5"	2.25"	4" RD	14"	Bright	18	Dual Side (R)	140576	
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	S-Type	3.5"	2.25"	4" RD	14"	Black	50	Dual Side (R)	140576BC	
6.2L V8 AT/MT 2+4WD 4DR EC STB (78.7") CC SB (69.3") WB 143.5"	14-17	Cat-Back™	ATAK®	3.5"	2.25"	4" RD	14"	Bright	18	Dual Side (R)	140577	



www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
SIERRA DENALI											
6.2L V8 AT 2+4WD 2+4DR EC STB (78.7") CC SB (69.3")	11-13	Cat-Back™	Touring	3.5"	2.25"	4" RD	12"	Bright	36	Single Split Rear	140420
6.2L V8 AT 2+4WD 2+4DR EC STB (78.7") CC SB (69.3")	11-13	Cat-Back™	S-Type	3.5"	2.25"	4" RD	12"	Bright	36	Single Split Rear	140437
YUKON											
4.8L/5.3L V8 AT 2+4WD 4DR	07-08	Cat-Back™	Touring	2.75"	2"	4" RD	12"	Bright	18	Dual Side (R)	140193
5.3L V8 AT 2+4WD 4DR	09-13	Cat-Back™	Touring	3"	2.5"	4" RD	12"	Bright	18	Dual Side (R)	140424
5.3L V8 AT 2+4WD 4DR	15-16	Cat-Back™	Touring	2.75"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140568
YUKON DENALI											
6.2L V8 AT RWD/AWD 4DR	07-10	Cat-Back™	Touring	3"	2.25"(x2)	4" RD	13"	Bright	38	Dual Side (R)	140194
6.2L V8 AT RWD/AWD 4DR	15-16	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140559
6.2L V8 AT RWD/AWD 4DR	15-16	Cat-Back™	S-Type	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140652
YUKON XL 1500											
5.3L V8 AT 2+4WD 4DR	07-08	Cat-Back™	Touring	2.75"	2"	4.25" x 3.5" OV	12"	Bright	29	Dual Side (R)	140235
5.3L AT 2+4WD 4DR	09-14	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140423
5.3L V8 AT 2+4WD 4DR	15-16	Cat-Back™	Touring	2.75"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140569
YUKON XL 2500											
6.0L V8 AT 2+4WD 4DR	07-08	Cat-Back™	Touring	2.75"	2"	4.25" x 3.5" OV	12"	Bright	29	Dual Side (R)	140235
YUKON XL DENALI											
6.2L V8 AT AWD 4DR	07-10	Cat-Back™	Touring	3"	2.25" (x2)	4" RD	13"	Bright	38	Dual Side (R)	140205
6.2L V8 AT 2+4WD 4DR	15-16	Cat-Back™	Touring	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140560
6.2L V8 AT 2+4WD 4DR	15-16	Cat-Back™	S-Type	3"	2.25"	4" RD	12"	Bright	18	Dual Side (R)	140653

» HONDA

ACCORD											
3.0L V6 AT/MT FWD 2DR	03-07	Cat-Back™	S-Type	2.5"	1.75"	4" RD	8"	Bright	35	Single Split Rear	140080
3.5L/2.4L V6 AT/MT FWD 2DR	13-17	Axle-Back	S-Type	2.25"	2"	4.25" x 3.5" OV	6.75"	Bright	17	Single Split Rear	11853
3.5L/2.4L "Sport" AT FWD 4DR	13-16	Axle-Back	S-Type	2.25"	2"	4.25" x 3.5" OV	6.75"	Bright	17	Single Split Rear	11840
CIVIC											
1.8L AT/MT 2+4DR	12-15	Axle-Back	S-Type	2.25"	2.25"	4.25" x 3.5" OV	6.75"	Bright	17	Single Rear (R)	11828
RIDGELINE											
3.5L V6 AT/MT AWD 4DR CC	06-14	Cat-Back™	Touring	2.5"	2.5"	6.69" x 3" REC	5.63"	Bright	34	Single Rear (R)	140195




EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					Part #
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	
				Primary(s)	Secondary(s)						
» HUMMER											
H2SUV/SUT											
6.0L V8 AT AWD 4DR	03-06	Cat-Back™	Touring	2.5"	2"	4.25" x 3.5" OV	12"	Bright	40	Single Split Rear	140037
6.0/6.2L V8 AT AWD 4DR	07-08	Cat-Back™	Touring	3"	2.25"	4.25" x 3.5" OV	12"	Bright	39	Single Split Rear	140258
H3											
3.5L/3.7L 5CYL AT/MT AWD 4DR	06-10	Cat-Back™	Touring	2.5"	2.25"	4" RD	12"	Bright	36	Single Split Rear	140166
» HYUNDAI											
GENESIS											
4.6L V8 AT RWD 4DR Sedan	09-12	Cat-Back™	S-Type	2.25"	2.25"	3.19" RD	5"	Bright	18	Dual Split Rear	140377
2.0L Turbo AT/MT RWD 2DR Coupe	10-14	Cat-Back™	S-Type	2.5"	2.25"	3.5" RD	6.63"	Bright	19	Dual Split Rear	140350
3.8L V6 AT/MT RWD 2DR Coupe	10-15	Cat-Back™	S-Type	2.25"	2.25"	3.5" RD	6.63"	Bright	19	Dual Split Rear	140345
SONATA SE											
2.0L Turbo AT FWD 4DR	11-13	Cat-Back™	S-Type	2.5"	2"	3.14" RD	4.64"	Bright	18	Dual Split Rear	140464
TIBURON											
GT 2.7L V6 AT/MT FWD 2DR	03-06	Cat-Back™	S-Type	2.25"	2"	4" RD	8"	Bright	35	Single Split	140064
VELOSTER											
1.6L Turbo AT/MT FWD 2DR	13-16	Cat-Back™	S-Type	2.5"	2.25"	USES FACTORY STOCK EXIT				Dual Center Rear	140506
1.6L AT/MT FWD 2DR	12-16	Axle-Back	S-Type	2.25"	2.25"	USES FACTORY STOCK EXIT				Dual Center Rear	11821
» INFINITI											
G35											
3.5L V6 AT/MT RWD 4DR Sedan	03-06	Cat-Back™	S-Type	2.25"	2.25"	3.19" RD	5"	Bright	18	Dual Rear (L)	140093
3.5L V6 AT/MT RWD 2DR Coupe	03-07	Cat-Back™	S-Type	2.25"	2.25"	4.5" RD	7"	Bright	37	Single Split Rear	140057
3.5L V6 AT/MT RWD 2DR Coupe	03-07	Header									17221*
G37											
3.7L AT/MT RWD 2DR	08-13	Cat-Back™	S-Type	2.25"	2.25"	4.5" RD	7"	Bright	37	Single Split Rear	140260
G37X											
3.7L AT/MT AWD 2DR	10-13	Cat-Back™	Touring	2.25"	2.25"	4.5" RD	7"	Bright	37	Single Split Rear	140510
FX50											
5.0L V8 AT 4+4AWD 4DR	09-12	Cat-Back™	S-Type	2.25"	2.25"	4.5" RD	7.75"	Bright	8	Single Split Rear	140339
Q60											
3.7L AT/MT AWD 2DR	14-15	Cat-Back™	Touring	2.25"	2.25"	4.5" RD	7"	Bright	37	Single Split Rear	140510
QX56											
5.6L V8 AT RWD/AWD 4DR	11-12	Cat-Back™	S-Type	2.25"	2.25"	4" RD	11.25"	Bright	36	Single Split Side	140478
» JEEP											
CJ7											
4.2L 6CYL AT/MT 4WD 2DR	81-86	Cat-Back™	Touring	2"	2"	2.5" RD	6.5"	Bright	10	Single Rear (R)	14572
4.2L 6CYL w/o Air Tubes MT 4WD 2DR	81-86	Header									17053
CHEROKEE											
4.0L 6CYL AT/MT 2+4WD 2+4DR	87-92	Cat-Back™	Touring	2.25"	2"	3.38" x 3" SQ	6.75"	Bright	13	Single Rear (R)	14200
4.0L 6CYL AT/MT 2+4WD 2+4DR	93-96	Cat-Back™	Touring	2.25"	2"	3.38" x 3" SQ	6.75"	Bright	13	Single Rear (R)	14453
4.0L 6CYL AT/MT 2+4WD 2+4DR	97-01	Cat-Back™	Touring	2.25"	2"	3.38" x 3" SQ	6.75"	Bright	13	Single Rear (R)	140071
4.0L 6CYL AT/MT 2+4WD 2+4DR	93-97	Header		1.5"	2.25"						17039
SOUND LEVELS											
FULL DETAILS PGS. 6-7											
STOCK											
TOURING											
S-TYPE											
ATAK®											



www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
GRAND CHEROKEE											
4.0L 6CYL/4.7L V8 AT 4WD 4DR	99-04	Cat-Back™	Touring	2.25"	2.25"	4" RD	14"	Bright	36	Single Rear (R)	14836
5.7L V8 AT 2+4WD 4DR	05-10	Cat-Back™	Touring	3"	2.5"	4" RD	14"	Bright	36	Single Rear (R)	140158
5.7L V8 AT 2+4WD 4DR (factory skid plate ok)	11-16	Cat-Back™	Touring	2.5"	2.5"	4" RD	14"	Bright	35	Single Split Rear	140406
SRT-8 6.1L V8 AT AWD 4DR w/o Hitch	06-10	Cat-Back™	S-Type	2.75"	2.75"	5" RD	16"	Bright	18	Dual Center Rear	140245
SRT 6.4L V8 AT AWD 4DR	15-16	Cat-Back™	S-Type	2.75"	2.75"	5" RD	7.25"	Bright	3	Single Split Rear	140632
SRT 6.4L V8 AT AWD 4DR	15-16	Cat-Back™	ATAK®	2.75"	2.75"	5" RD	7.25"	Bright	3	Single Split Rear	140633
SRT-8 6.4L V8 AT AWD 4DR	12-14	Axle-Back	S-Type	2.75"	2.75"	5" RD	8.63"	Bright	3	Single Split Rear	11826
SRT-8 6.4L V8 AT AWD 4DR	12-14	Axle-Back	ATAK®	2.75"	2.75"	5" RD	8.63"	Bright	3	Single Split Rear	11827
WRANGLER											
4.2L 6CYL AT/MT 4WD 2DR	88-90	Cat-Back™	Touring	2.25"	2"	2.75" x 2.5" SQ	6.5"	Bright	15	Single Rear (R)	14352
4.2L 6CYL MT 4WD 2DR	88-90	Header		1.5"	2.25"						17062
4.2L 6CYL AT/MT 4WD 2DR	91-95	Cat-Back™	Touring	2.25"	2"	2.75" x 2.5" SQ	6.5"	Bright	13	Single Rear (R)	14364
4.0L 6CYL MT 4WD 2DR	91-92	Header		1.5"	2.25"						17019
4.0L 6CYL MT 4WD 2DR	93-95	Header		1.5"	2.25"						17034
2.5L4CYL/4.0L 6CYL AT/MT 2+4WD 2DR w/o hitch	97-99	Cat-Back™	Touring	2.25"	2.25"	3.38" x 3" SQ	6.5"	Bright	14	Single Rear (R)	14728
4.0L 6CYL AT/MT 4WD 2DR	97	Header		1.5"	2.25"						17081
4.0L 6CYL AT/MT 4WD 2DR	98-99	Long Tube Header		1.5"	2.25"						17236*
2.5L4CYL/4.0L 6CYL (inc. Rubicon AT/MT 4WD 2DR with or w/o hitch)	00-06	Cat-Back™	Touring	2.25"	2.25"	3.38" x 3" SQ	6.5"	Bright	14	Single Rear (R)	14924
4.0L 6CYL AT/MT 4WD 2DR	00-06	Header		1.5"	2.25"						17202†
4.0L 6CYL UNLIMITED (inc. Rubicon AT/MT 4WD 2DR w/o hitch)	04-06	Cat-Back™	Touring	2.25"	2.25"	3.38" x 3" SQ	6.5"	Bright	14	Single Rear (R)	140103
3.8L V6 AT/MT 4WD 2DR (must remove left rear tow hook if equip.)	07-11	Cat-Back™	Touring	2.5"	2"	3.38" x 3" SQ	6.5"	Bright	14	Single Split Rear	140217
3.8L V6 AT/MT 4WD 4DR (must remove left rear tow hook if equip.)	07-11	Cat-Back™	Touring	2.5"	2"	3.38" x 3" SQ	6.5"	Bright	14	Single Split Rear	140218
3.8L V6 AT/MT 2+4WD 4DR	07-11	Cat-Back™	S-Type	2.5"	2.5"	"Climber" Turndown exit			33	Single Rear (L)	140655
3.8L V6 AT/MT 2+4WD 2+4DR (must remove left rear tow hook if equip.)	07-11	Axle-Back	Touring	2.5"	2"	3.38" x 3" SQ	6.5"	Bright	14	Single Split Rear	11755
3.8L V6 AT/MT 2+4WD 2+4DR	07-11	Long Tube Header		1.625"	2.5"						17251*



EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					Part #
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	
				Primary(s)	Secondary(s)						
» JEEP (cont.)											
WRANGLER (cont.)											
3.6L V6 AT/MT 4WD 4DR	12-16	Cat-Back™	Touring	2.5"	2"	3.5" x 3.28" SQ	8"	Bright	41	Single Split Rear	140459
3.6L V6 AT/MT 4WD 4DR	12-16	Cat-Back™	Touring	2.5"	2"	3.5" x 3.28" SQ	8"	Black	48	Single Split Rear	140459BC
3.6L V6 AT/MT 4WD 2DR	12-16	Cat-Back™	Touring	2.5"	2"	3.5" x 3.28" SQ	8"	Bright	41	Single Split Rear	140460
3.6L V6 AT/MT 4WD 2DR	12-16	Cat-Back™	Touring	2.5"	2"	3.5" x 3.28" SQ	8"	Black	48	Single Split Rear	140460BC
3.6L V6 AT/MT 4WD 4DR	12-16	Cat-Back™	Touring	2.5"	2.25"	3.5" x 3.28" SQ	8"	Bright	41	Single Rear (R)	140461
3.6L V6 AT/MT 4WD 4DR	12-16	Cat-Back™	Touring	2.5"	2.25"	3.5" x 3.28" SQ	8"	Black	48	Single Rear (R)	140461BC
3.6L V6 AT/MT 4WD 2DR	12-16	Cat-Back™	Touring	2.5"	2.25"	3.5" x 3.28" SQ	8"	Bright	41	Single Rear (R)	140462
3.6L V6 AT/MT 4WD 2DR	12-16	Cat-Back™	Touring	2.5"	2.25"	3.5" x 3.28" SQ	8"	Black	48	Single Rear (R)	140462BC
3.6L V6 AT/MT 4WD 4DR "Dirt Sport"	12-16	Cat-Back™	Touring	2.5"	2.5"	3.5" x 3.28" SQ	7.88"	Bright	41	Single Rear (L)	140479
3.6L V6 AT/MT 4WD 4DR "Dirt Sport"	12-16	Cat-Back™	Touring	2.5"	2.5"	3.5" x 3.28" SQ	7.88"	Black	48	Single Rear (L)	140479BC
3.6L V6 AT/MT 2+4WD 4DR "Climber"	12-16	Cat-Back™	S-Type	2"	2.5"	"Climber" Turndown exit				Single Rear (R)	140634
3.6L V6 AT/MT 2+4WD 2DR "Climber"	12-16	Cat-Back™	S-Type	2"	2.5"	"Climber" Turndown exit				Single Rear (R)	140644
3.6L V6 AT/MT 4WD 2+4DR	12-16	Axle-Back	Touring	2.5"	2.25"	3.38" x 3" SQ	7.88"	Bright	41	Single Rear (R)	11818
3.6L V6 AT/MT 4WD 2+4DR	12-16	Axle-Back	Touring	2.5"	2.25"	3.38" x 3" SQ	7.88"	Black	48	Single Rear (R)	11818BC
3.6L V6 AT/MT 4WD 2+4DR	12-16	Axle-Back	Touring	2.5"	2"	3.5" SQ	8"	Bright	41	Single Split Rear	11834
3.6L V6 AT/MT 4WD 2+4DR	12-16	Axle-Back	Touring	2.5"	2"	3.5" SQ	8"	Black	48	Single Split Rear	11834BC
3.6L V6 AT/MT 4WD 2+4DR	12-16	Axle-Back	ATAK®	2.5"	2"	3.5" SQ	8"	Bright	41	Single Split Rear	11860
3.6L V6 AT/MT 4WD 2+4DR	12-16	Axle-Back	ATAK®	2.5"	2"	3.5" SQ	8"	Black	48	Single Split Rear	11860BC
3.6L V6 AT/MT 2+4WD 4DR	12-16	Loop Delete Y-Pipe									60595*
WRANGLER TIP KITS											
3.6L V6 AT/MT 4WD 2+4DR	12-16					3.5" RD	5"	Black	48	Single Split Rear	20160
3.6L V6 AT/MT 4WD 2+4DR	12-16					3.5" RD	7"	Black	48	Single Rear	20161
» KIA											
OPTIMA											
2.0L Turbo AT FWD 4DR	11	Cat-Back™	S-Type	2.5"	2"	3.14" RD	4.64"	Bright	18	Dual Split Rear	140469
2.0L Turbo AT FWD 4DR	12-13	Cat-Back™	S-Type	2.5"	2"	3.14" RD	4.64"	Bright	18	Dual Split Rear	140464
» LEXUS											
IS F											
5.0L V8 AT RWD 4DR w/o Tips	08-14	Cat-Back™	S-Type	2.5"	2.5"	USES FACTORY STOCK EXIT				Dual Split Rear	12656*
LX470											
4.7L V8 AT 4WD 4DR	98-07	Cat-Back™	Touring	2"	2.25"	4" RD	8.5"	Bright	11	Single Rear (R)	14814
RC-F											
5.0L V8 AT RWD 2DR	15-16	Cat-Back™	S-Type	2.5"	2"	3.5" RD	6"	Bright	47	Dual Split Rear	12671*
» MASERATI											
GHIBLI Q4											
3.0L V6 Turbo AT RWD 4DR	14-15	Axle-Back	S-Type	2.5"	2.5"	4" RD	6.25"	Bright	47	Dual Split Rear	11901
QUATTROPORTE											
4.2L V8 AT (Duo-Select Trans. only) RWD 4DR	07	Cat-Back™	S-Type	2.5"	2.5"	3.5" SQ	8"	Bright	42	Dual Split Rear	140288

SOUND LEVELS

FULL DETAILS PGS. 6-7

<



www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
» MAZDA											
3											
2.3L 4CYL AT/MT FWD 5DR	04-09	Cat-Back™	S-Type	2.5"	2.5"	4" RD	8"	Bright	35	Single Rear (L)	140121
2.5L Turbo 4CYL MT FWD 5DR hatchback	10-13	Axle-Back	S-Type	2.5"	2.25"	4.5" RD	5.75"	Bright	3	Single Split Rear	11786
2.0L/2.5L AT/MT FWD 4+5DR	14-16	Axle-Back	S-Type	2"	2"	4" RD	7"	Bright	35	Single Split Rear	11918
MAZDASPEED 3											
2.5L Turbo 4CYL MT FWD 5DR hatchback	10-13	Axle-Back	S-Type	2.5"	2.25"	4.5" RD	5.75"	Bright	3	Single Split Rear	11786
MIATA MX5 (For BORLA XR-1® Spec Miata Racing Systems, See page 58)											
1.6L/1.8L 4CYL AT/MT RWD 2DR	90-97	Cat-Back™	S-Type	2"	2"	2.5" RD	6.75"	Bright	10	Single Rear (R)	14411
1.8L AT/MT RWD 2DR	99-05	Axle-Back	S-Type	2.25"	2.25"	3.5" RD	6"	Bright	4	Single Rear (R)	11732
2.0L AT/MT RWD 2DR	06-15	Cat-Back™	S-Type	2.5"	2.25"	3.19" RD	6"	Bright	35	Single Split Rear	140169
2.0 4CYL AT/MT RWD 2DR	16	Axle-Back	S-Type	2.25"	2.25"	2.5" RD	4.13"	Bright	22	Dual Rear (R)	11919
2.0L AT/MT RWD 2DR	16	Front Section Cat Delete									60594*
RX-8											
1.3L 2CYL AT/MT RWD 4DR	04-08	Cat-Back™	S-Type	3"	2.25"	3.5" x 2.75" OV	5.5"	Bright	35	Single Split Rear	140078
» MINI COOPER											
MINI COOPER											
1.6L FWD AT/MT 2DR	02-07	Cat-Back™	Touring	2.25"	2.25"	4" RD	7"	Bright	35	Single Rear (R)	140030
S Series 1.6L SprChrgd AT/MT FWD	02-03	Cat-Back™	Touring	2.25"	1.75"	3.14" RD	5"	Bright	18	Dual Center Rear	140027
S Series 1.6L SprChrgd AT/MT FWD	02-03	Cat-Back™	S-Type	2.25"	2"	3.15" RD	5"	Bright	18	Dual Center Rear	140035
S Series 1.6L SprChrgd AT/MT FWD inc. Conv.	04-06	Cat-Back™	S-Type	2.25"	2"	3.15" RD	5"		18	Dual Center Rear	140119
S Series 1.6L SprChrgd AT/MT FWD Hatchback	04-06	Cat-Back™	Touring	2.25"	2"	3.14" RD	5"	Bright	18	Dual Center Rear	140120
S Series 1.6L SprChrgd AT/MT FWD Convertible	05-08	Cat-Back™	Touring	2.25"	2"	3.14" RD	5"	Bright	18	Dual Center Rear	140120
S Series(07-13)/Conv. S/ Coupe S/ Roadster S	07-14	Cat-Back™	Touring	2.25"	2.25"	4" RD	7"		18	Dual Center Rear	140518
1.6L Turbo AT/MT FWD											
S Series(07-13)/Conv. S/ Coupe S/ Roadster S	07-14	Cat-Back™	S-Type	2.25"	2.25"	4" RD	7"	Bright	18	Dual Center Rear	140517
1.6L Turbo AT/MT FWD											
S Series F56 2.0L Turbo AT/MT FWD 2DR	14-16	Axle-Back	Touring	2.5"	2.5"	4" RD	6.21"	Bright	18	Dual Center Rear	11914
S Series F56 2.0L Turbo AT/MT FWD 2DR	14-16	Axle-Back	S-Type	2.5"	2.5"	4" RD	6.21"	Bright	18	Dual Center Rear	11915
S Series F56 2.0L Turbo AT/MT FWD 2DR	14-15	Mid-Pipe		2.5"	2.5"						60565*
MINI COOPER COUNTRYMAN S											
1.6L AT/MT FWD/AWD 4DR	11-15	Axle-Back	S-Type	2.5"	2.25"	4" RD	16"	Bright	3	Single Split Rear	11804

TIP
EXITS

ACTUAL PIPE CONTOURS
VARY BY APPLICATION

SINGLE
REAR (L)

DUAL
REAR (L)

SINGLE
REAR (R)

DUAL
REAR (R)

SINGLE
SPLIT REAR

DUAL
SPLIT REAR

DUAL
CENTER REAR

QUAD
CENTER


SINGLE
SIDE (L)

DUAL
SIDE (L)

SINGLE
SIDE (R)

DUAL
SIDE (R)

SINGLE
SPLIT SIDE



EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					Part #
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	
				Primary(s)	Secondary(s)						
» MITSUBISHI											
3000GT											
GT VR4 V6 Twin Turbo AT/MT AWD 2DR	91-99	Cat-Back™	S-Type	3"	2.5"	3.5" RD	7"	Bright	10	Single Split Rear	15443
EVOLUTION X											
2.0L Turbo AT/MT AWD 4DR	08-15	Cat-Back™	S-Type	2.75"	2.25"	5" RD	8.75"	Bright	3	Single Split Rear	140285
LANCER											
Ralliart 2.0L Turbo MT AWD 4DR	09-15	Cat-Back™	S-Type	2.75"	2.25"	5" RD	8.75"	Bright	3	Single Split Rear	140334
2.0L/2.4L AT/MT FWD 4DR	08-11	Axle-Back	S-Type	2.25"	2.25"	4" RD	8.13"	Bright	3	Single Rear (R)	11782
TRITON/L200											
2.5L Diesel AT/MT 2+4WD 4DR CC SB	15	Cat-Back™	Touring	2.5"	2.5"	NO TIP				Single Rear (R)	140606
» NISSAN											
350 Z											
3.5L V6 AT/MT RWD 2DR	03-08	True Dual Cat-Back™ Header	S-Type	2.25"	2"	2.53" RD	4.5"	Bright	37	Single Split Rear	140045
3.5L V6 AT/MT RWD 2DR	03-07										17221*
370 Z											
3.7L V6 AT/MT RWD 2 DR	09-17	Cat-Back™	S-Type	2.25"	2.25"	4.5" RD	7.5"	Bright	8	Single Split Rear	140313
ALTIMA											
3.5L V6 AT FWD 4DR Sedan	07-15	Cat-Back™	S-Type	2.5"	2"	4.5" RD	7.75"	Bright	8	Single Split Rear	140450
3.5L V6 AT/MT FWD 2DR Coupe	08-13	Axle-Back	S-Type	2.5"	2.5"	4.5" RD	7.5"	Bright	8	Single Split Rear	11762
GT-R											
3.8L V6 Twin Turbo MT AWD 2DR	09-15	Cat-Back™	S-Type	2.25"	2"	4.5" RD	7.75"	Bright	20	Dual Split Rear	12658*
3.8L V6 Twin Turbo MT AWD 2DR	09-15	Cat-Back™	S-Type	3"	2"	USES FACTORY STOCK EXIT				Dual Split Rear	140326
3.8L V6 Twin Turbo MT AWD 2DR	09-15	Down Pipe		3"	3"						60515*
3.8L V6 Twin Turbo MT AWD 2DR	09-15	Mid Pipe		2.25"	3"						60516*
MAXIMA											
3.5L AT FWD 4DR	09-14	Cat-Back™	S-Type	2.5"	2.25"	4.5" RD	7.75"	Bright	37	Single Split Rear	140386
SENTRA											
SE-R/SE-R SPEC V 2.5L MT FWD 4DR	07-12	Axle-Back	S-Type	2.25"	2.25"	4.5" RD	7.5"	Bright	8	Single Rear (L)	11783
TITAN											
5.6L V8 AT 2+4WD CC EC SB	04-15	Cat-Back™	Touring	2"	2"	4.25" x 3.5" OV	12"	Bright	40	Single Split Rear	140079
» PLYMOUTH											
BARRACUDA											
Barracuda 383 CID V8	1971	Manifold-Back Header	S-Type	2.5"	2.5"	3.31" x 6.69" REC	3.75"	Bright	34	Single Split Rear	100407
Barracuda 383 CID V8	1971			1.75"	2.5"						17269
SOUND LEVELS FULL DETAILS PGS. 6-7 STOCK TOURING S-TYPE ATAK®											

SOUND LEVELS

FULL DETAILS PGS. 6-7

STOCK

TOURING

S-TYPE

ATAK®

TIP STYLES

FOR EXHAUST SYSTEMS ON THESE TWO PAGES

3

8

10

18

20

22

25

26

www.borla.com 1-877-GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					Part #
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	
				Primary(s)	Secondary(s)						
» PONTIAC											
G8 GT/GXP											
6.0L V8 AT RWD 4DR	08-09	Cat-Back™	S-Type	2.5"	2.5"	3.5" RD	6"	Bright	18	Dual Split Rear	140287
GTO											
5.7L V8 RWD AT/MT 2DR	04	Cat-Back™	S-Type	2.25"	2.25"	3.19" RD	6"	Bright	18	Dual Rear (L)	140077
6.0L V8 RWD AT/MT 2DR	05-06	Cat-Back™	S-Type	2.5"	2.5"	5" RD	8.5"	Bright	35	Single Split Rear	140165
TRANS AM/FIREBIRD											
5.7L V8 AT/MT RWD 2DR (inc. adapters)	84-92	Cat-Back™	S-Type	3" Adj	3"	2.5" RD	7"	Bright	22	Dual Split Rear	14888
5.7L V8 AT/MT RWD 2DR (Single Cat.)	93-95	Cat-Back™	S-Type	3" Adj	3"	3.8" x 3" SQ	6.75"	Bright	26	Dual Split Rear	14464
5.7L V8 AT/MT RWD 2DR (Dual Cat.)	95-97	Cat-Back™	S-Type	3" Adj	3"	3.8" x 3" SQ	6.75"	Bright	26	Dual Split Rear	14555
5.7L V8 AT/MT RWD 2DR (Incl Ram Air)	98-02	Cat-Back™	S-Type	3" Adj	3"	3.8" x 3" SQ	6.75"	Bright	26	Dual Split Rear	14780
5.7L V8 AT/MT RWD 2DR	98-02	Cat-Back™	S-Type	3"	2.25"	4" RD	14"	Bright	3	Single Split Rear	140028
» PORSCHE											
928											
928 USA 4.5L V8 AT/MT RWD 2DR	78	Cat-Back™	S-Type	2.5"	2.5"	2.5" RD	8"	Bright	25	Dual Rear (L)	140567
928 USA 4.5L V8 AT/MT RWD 2DR	79-82	Cat-Back™	S-Type	2.5"	2.5"	2.5" RD	8"	Bright	25	Dual Rear (L)	14276
981 CAYMAN/CAYMAN S/Boxster/Boxster S											
2.7L/3.4L AT/MT RWD 2DR	13-16	Cat-Back™	S-Type	2.25"	2.25"	4" RD	6.5"	Bright	18	Dual Center Rear	140534
3.4L AT/MT RWD 2DR	13-16	Diffuser									77013
986 BOXSTER/BOXSTER S											
2.7L/3.2L 6CYL MT RWD 2DR	00-04	Cat-Back™	S-Type	1.75"	1.75"	3.5" x 2.75" OV	3.96"	Bright	29	Dual Center Rear	140115
987 CAYMAN/CAYMAN S/BOXSTER/BOXSTER S											
2.7L/3.4L 6CYL AT/MT RWD 2DR	05-08	Cat-Back™	S-Type	2.25"	2.25"	4" RD	6"	Bright	18	Dual Center Rear	12653*
2.7L/3.4L 6CYL AT/MT RWD 2DR	05-08	Cat-Back™	S-Type	2.25"	2.25"	3.5" RD	4.5"	Bright	18	Dual Center Rear	12654*
2.9L/3.4L 6CYL AT RWD 2DR	09-12	Cat-Back™	S-Type	2.25"	2.25"	4" RD	6"	Bright	18	Dual Center Rear	12659*
2.9L/3.4L 6CYL MT RWD 2DR	09-12	Cat-Back™	S-Type	2.25"	2.25"	4" RD	4.5"	Bright	18	Dual Center Rear	12663*
970 PANAMERA											
4S 4.8L V8 AT AWD 4DR	11-12	Cat-Back™	ATAK®	2.5"	2.5"	3.5" RD	6"	Bright	47	Dual Split Rear	140599
 											
TIP EXITS ACTUAL PIPE CONTOURS VARY BY APPLICATION SINGLE REAR (L) DUAL REAR (L) SINGLE REAR (R) DUAL REAR (R) SINGLE SPLIT REAR DUAL SPLIT REAR DUAL CENTER REAR QUAD CENTER SINGLE SIDE (L) DUAL SIDE (L) SINGLE SIDE (R) DUAL SIDE (R) SINGLE SPLIT SIDE											



TIP EXITS

ACTUAL PIPE CONTOURS VARY BY APPLICATION

SINGLE REAR (L)

DUAL REAR (L)

SINGLE REAR (R)

DUAL REAR (R)

SINGLE SPLIT REAR

DUAL SPLIT REAR

DUAL CENTER REAR

QUAD CENTER

SINGLE SIDE (L)

DUAL SIDE (L)

SINGLE SIDE (R)

DUAL SIDE (R)

SINGLE SPLIT SIDE

TIP STYLES

FOR EXHAUST SYSTEMS ON THESE TWO PAGES

3

8

10

18

20

22

25

26

29

34

35

37

40

47

Borla®

WE BUILD EXCITEMENT

EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
» PORSCHE (cont.)											
997											
NON TURBO 911 3.6L 6CYL AT/MT RWD 2DR	05-08	Cat-Back™	S-Type	2.25"	1.75"	3.19" RD	6"	Bright	47	Dual Split Rear	140233
NON TURBO 911 3.6L 6CYL AT/MT RWD 2DR	05-08	Cat-Back™	S-Type	2.25"	1.75"	3.5" RD	6"	Bright	47	Dual Split Rear	140234
997TT											
911 3.6L 6CYL V6 AT/MT RWD	07-09	Cat-Back™	S-Type	2.25"	1.75"	3.19" RD	3.96"	Bright	18	Dual Split Rear	12651*
997 GT3											
3.6L 6CYL MT RWD 2DR	07-08	Cat-Back™	S-Type	2.5"	2.5"	4" RD	8"	Bright	35	Single Split Rear	140304
997S											
911S 3.8L 6CYL AT/MT RWD 2DR	05-08	Cat-Back™	S-Type	2.5"	1.75"	3.5" RD	4.5"	Bright	18	Dual Split Rear	140272
991											
911S/911 4S 3.8L AT RWD/AWD 2DR w/valves	13-15	Cat-Back™	S-Type	2.5"	1.75"	3.14" RD	6"	Bright	18	Dual Split Rear	140523
911S/911 4S 3.8L AT RWD/AWD 2DR w/o valves	13-15	Cat-Back™	S-Type	2.5"	1.75"	3.14" RD	6"	Bright	18	Dual Split Rear	140524
911S/911 4S 3.8L AT RWD/AWD 2DR	13-15	Long Tube Header		2.5"	1.75"						17288*

» RAM

1500											
5.7L V8 Hemi AT/MT 2+4WD RC EC CC SB	03-05	Cat-Back™	S-Type	3"	2.25"	4.25" x 3.5" OV	12"	Bright	40	Single Split Side	140068
5.7L V8 AT/MT 2+4WD 4DR CC SB	06-08	Cat-Back™	S-Type	3"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140187
5.7L V8 AT/MT 2+4WD 4DR CC SB	06-08	Cat-Back™	S-Type	3"	2.25"	4" RD	12"	Bright	36	Single Split Side	140275
5.7L V8 AT/MT 2+4WD 4DR RC/EC STB CC SB (through bumper)	09-16	Cat-Back™	Touring	3"	2.5"	5" RD	15.25"	Bright	39	Single Split Rear	140552
5.7L V8 AT/MT 2+4WD 4DR RC/EC STB CC SB (under bumper) For all models with factory single exhaust	09-16	Cat-Back™	Touring	3"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140553
5.7L V8 AT 2+4WD 4DR RC/EC STB CC SB (through bumper)	09-16	Cat-Back™	S-Type	3"	2.5"	5" RD	15.25"	Bright	39	Single Split Rear	140307
5.7L V8 AT 2+4WD 4DR RC/EC STB CC SB (under bumper) For all models with factory single exhaust	09-16	Cat-Back™	S-Type	3"	2.5"	4" RD	12"	Bright	36	Single Split Rear	140308
SRT-10 8.3L V10 AT/MT RWD 2+4DR RC CC SB	04-05	Cat-Back™	S-Type	2.5"	2.5"	6.68" x 3.31 "REC	5.63"	Bright	34	Single Rear (R)	140111

» SCION

FR-S											
2.0L 4CYL AT/MT RWD 2DR	13-16	Cat-Back™	S-Type	2.5"	2"	4.25" RD		Bright	17	Single Split Rear	140496
2.0L 4CYL AT/MT RWD 2DR	13-16	Axle-Back	Touring	2.5"	2"	4.5" RD	7.75"	Bright	5	Single Split Rear	11839
2.0L 4CYL AT/MT RWD 2DR	13-16	Header		1.62"	2.25"						17284*
2.0L 4CYL AT/MT RWD 2DR	13-16	Mid-Pipe Cat Delete									60541*
2.0L 4CYL AT/MT RWD 2DR	13-16	Diffuser									77012
tc											
2.4L 4CYL AT/MT FWD 2DR	05-10	Axle-Back	S-Type	2.25"	2.25"	4.25" x 3.5" OV	7"	Bright	17	Single Rear (R)	11743
2.5L AT/MT FWD 2DR	11-16	Axle-Back	S-Type	2.25"	2.25"	4.25" x 3.5" OV	6.75"	Bright	17	Single Rear (L)	11813



www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					Part #	
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit		
				Primary(s)	Secondary(s)							
» SUBARU												
BRZ												
2.0L 4CYL AT/MT RWD 2DR	13-17	Cat-Back™	S-Type	2.5"	2"	4.25" RD		Bright	17	Single Split Rear	140496	
2.0L 4CYL AT/MT RWD 2DR	13-16	Axle-Back	Touring	2.5"	2"	4.5" RD	7.75"	Bright	5	Single Split Rear	11839	
2.0L 4CYL AT/MT RWD 2DR	13-16	Header		1.62"	2.25"						17284*	
2.0L 4CYL AT/MT RWD 2DR	13-16	Mid-Pipe Cat Delete									60541*	
2.0L 4CYL AT/MT RWD 2DR	13-16	Diffuser									77012	
FORESTER												
2.2L/2.5L 4CYL AT/MT Dual Port Cylinder Head only	97-05	Header		1.625"	2.25"						17183*	
IMPREZA												
2.2L/2.5L 4CYL AT/MT AWD 2DR/4DR/WGN	96-01	Cat-Back™	S-Type	2"	2"	4" RD	8.5"	Bright	35	Single Rear (L)	14885	
2.5L AT/MT AWD 4DR SEDAN	08-11	Cat-Back™	S-Type	2.25"	2"	4.25" x 3.5" OV	5.75"	Bright	17	Single Split Rear	140324	
2.5L AT/MT AWD 4DR WAGON	08-11	Cat-Back™	S-Type	2.25"	2.25"	4" RD	6"	Bright	35	Single Rear (R)	140325	
2.0L AT AWD 5DR	13-16	Axle-Back	S-Type	2"	2"	3.19" RD	5"	Bright	35	Single Rear (R)	11843	
2.2L/2.5L 4CYL AT/MT AWD 2DR/4DR/WGN	97-05	Header		1.625"	2.25"						17183*	
IMPREZA OUTBACK												
2.0L AT/MT AWD 5DR	13-16	Axle-Back	S-Type	2"	2"	3.19" RD	5"	Bright	35	Single Rear (R)	11843	



TIP EXITS

ACTUAL PIPE CONTOURS VARY BY APPLICATION

SINGLE REAR (L)

DUAL REAR (L)

SINGLE REAR (R)

DUAL REAR (R)

SINGLE SPLIT REAR

DUAL SPLIT REAR

DUAL CENTER REAR

QUAD CENTER

SINGLE SIDE (L)

DUAL SIDE (L)

SINGLE SIDE (R)

DUAL SIDE (R)

SINGLE SPLIT SIDE

37

39

40

47



EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW						
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #	
				Primary(s)	Secondary(s)							
» TOYOTA												
4RUNNER												
2.7L 4CYL/3.4L 6CYL LTD AT/MT 2+4WD 4DR	96-02	Cat-Back™	Touring	2.5"	2.25"	4" RD	8.5"	Bright	11	Single Rear (R)	14659	
4.0L AT/MT 2+4WD (except Trail Model)	10-16	Cat-Back™	Touring	2.5"	2.5"	4.25" x 3.5" OV	7"	Bright	17	Single Rear (R)	140379	
86												
2.0L 4CYL AT/MT RWD 2DR	17	Cat-Back™	S-Type	2.5"	2"	4.25" RD		Bright	17	Single Split Rear	140496	
CAMRY												
LE/SE/XLE 3.5L V6 AT FWD 4DR	07-11	Axle-Back	Touring	2.25"	2.25"	3.5" RD	6.5"	Bright	4	Single Split Rear	11758	
XSE/XLE 3.5L AT FWD 4DR	14-17	Axle-Back	Touring	2.25"	2.25"	4.25" x 3.5" OV	6.75"	Bright	16	Single Split Rear	11916	
XSE/XLE 3.5L AT FWD 4DR	14-17	Mid Section	S-type	2.5"	2.25"	Converts 11916 into S-Type Sound						60572
COROLLA												
S/XRS 1.8L/2.4L AT/MT FWD 4DR	09-13	Axle-Back	S-Type	2.25"	2.25"	4.25" x 3.5" OV	7"	Bright	17	Single Rear (R)	11795	
1S/XSE 1.8L AT/MT FWD 4DR	14-17	Axle-Back	S-Type	2.25"	2.25"	4.25" x 3.5" OV	7"	Bright	17	Single Rear (R)	11897	
FJ CRUISER												
4.0L V6 AT/MT 2+4WD 4DR	07-09	Cat-Back™	Touring	2.25"	2"	4.25" x 3.5" OV	12"	Bright	40	Single Split Rear	140200	
4.0L V6 AT/MT 2+4WD 4DR	10-14	Cat-Back™	Touring	2.5"	2"	4" RD	13"	Bright	38	Single Split Rear	140405	
4.0L V6 AT/MT 2+4WD 4DR "Dirt Sport"	10-14	Cat-Back™	Touring	2.5"	2.5"	4" RD	11"	Bright	36	Single Rear (R)	140521	
LAND CRUISER												
4.5L 6CYL AT 4WD 4DR	95-97	Cat-Back™	Touring	2.25"	2.25"	3.38" x 3" SQ	6.75"	Bright	13	Single Rear (R)	14590	
4.7L V8 AT 4WD 4DR	98-07	Cat-Back™	Touring	2"	2.25"	4" RD	8.5"	Bright	11	Single Rear (R)	14814	
SEQUOIA												
5.7L V8 AT 2+4WD 4DR	08-12	Cat-Back™	Touring	2.75"	2.75"	4" RD	12"	Bright	36	Single Rear (R)	140277	
TACOMA												
3.4L V6 AT/MT 4WD 2DR EC SB Pre-Runner	95-99	Cat-Back™	Touring	2.5"	2.5"	3.5" RD	7"	Bright	10	Single Side (R)	14597	
3.4L V6 AT/MT 4WD 2DR EC SB Pre-Runner	00-04	Cat-Back™	Touring	2.25"	2.25"	4" RD	14"	Bright	36	Single Side (R)	14945	
4.0L V6 AT/MT 2+4WD 4DR CC LB	05-12	Cat-Back™	Touring	2.25"	2.25"	4" RD	14"	Bright	36	Single Rear (R)	140140	
4.0L V6 AT/MT 2+4WD 2+4DR CC SB EC LB	05-12	Cat-Back™	Touring	2.25"	2.25"	4" RD	14"	Bright	36	Single Side (R)	140160	
4.0L AT/MT 2+4WD 2+4DR CC SB EC LB	13-15	Cat-Back™	Touring	2.25"	2.25"	4" RD	14"	Bright	36	Single Side (R)	140502	
4.0L AT/MT 2+4WD 4DR CC LB	13-15	Cat-Back™	Touring	2.25"	2.25"	4" RD	14"	Bright	36	Single Side (R)	140503	
3.5L AT 2+4WD 4DR CC SB	13-15	Cat-Back™	S-Type	2.5"	2.5"	4" RD	12"	Bright	36	Single Side (R)	140680	
3.5L AT 2+4WD 4DR CC STB	16	Extension Pipe									60593	
TUNDRA												
4.7L V8 AT/MT 2+4WD 4DR CC EC SB	00-06	Cat-Back™	Touring	2.25"	2.25"	4" RD	14"	Bright	36	Single Split Rear	14817	
4.7L V8 AT/MT 2+4WD 4DR CC EC SB	00-06	Cat-Back™	Touring	2.25"	2.25"	4" RD	11"	Bright	11	Single Split Side	14852	
4.7L V8 AT/MT 2+4WD 4DR CC EC SB	00-06	Cat-Back™	Touring	2.25"	2.25"	4" RD	11"	Bright	11	Single Side (R)	14854	
5.7L V8 AT/MT 2+4WD 4DR CrewMax SB Dblcab STB RC LB	07-08	Cat-Back™	S-Type	2.25"	2.25"	4" RD	14"	Bright	36	Single Split Side	140238	
5.7L V8 AT 2+4WD 4DR CrewMax SB Dblcab STB RC LB	07-08	Cat-Back™	S-Type	2.25"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140239	
4.6L/5.7L V8 AT/MT 2+4WD 4DR CrewMax SB Dblcab STB RC LB	09-16	Cat-Back™	Touring	2.25"	2.25"	4" RD	14"	Bright	36	Single Split Side	140332	
4.6L/5.7L V8 AT/MT 2+4WD 4DR CrewMax SB Dblcab STB RC LB	09-13	Cat-Back™	Touring	2.25"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140333	
4.6L/5.7L V8 AT/MT 2+4WD 4DR CrewMax SB Dblcab STB RC LB	14-16	Cat-Back™	Touring	2.25"	2.25"	4" RD	14"	Bright	36	Single Split Rear	140638	
SOUND LEVELS FULL DETAILS PGS. 6-7 STOCK TOURING S-TYPE ATAK®												



TIP STYLES

FOR EXHAUST SYSTEMS ON THESE TWO PAGES

3

4

10

11

13

16

17

18

29

35

36

38

40

Borla®

WE BUILD EXCITEMENT

»BORLA® FOR EUROPE



EC-Type Approval

Issued by KB

Kraftfahrt-Bundesamt / Germany



EXHAUST SYSTEM APPLICATIONS

EXHAUST SYSTEM APPLICATIONS						TIP & EXIT INFO — SEE IMAGES BELOW					
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape¹	Tip Length	Tip Finish²	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
AUDI											
TT QUATTRO 1.8T 225HP MT AWD 2DR	98-07	Cat-Back™	Touring	2.5"	2"	4" RD	6.12"	Bright	6	Single Split Rear	1014013
CHEVROLET											
Camaro 6.2L V8 AT/MT RWD 2DR	10-13	Cat-Back™	Touring	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	1014035
Camaro 6.2L V8 AT/MT RWD 2DR	10-13	Cat-Back™	S-Type	2.5"	2.5"	4.5" RD	5.75"	Bright	35	Single Split Rear	1014031
Camaro 6.2L V8 AT/MT RWD 2DR	10-13	X-Pipe									1014032
Camaro 6.2L V8 AT/MT RWD 2DR Convertible	10-13	Spacer Kit									60545
Camaro SS 6.2L V8 AT/MT RWD 2DR	14	Cat-Back™	Touring	2.5"	2.5"	4.5" RD	5.75"	Bright	36	Single Split Rear	1014036
Corvette C5/Z06 5.7L V8 AT/MT RWD 2DR	97-04	Cat-Back™	Touring	2.5"	2"	4.25" x 3.5" OV	6.75"	Bright	29	Dual Split Rear	13921
Euro											
Corvette C6 6.0L V8 AT/MT RWD 2DR Incl. Paddle Shift	05-07	Cat-Back™	Touring	2.5"	1.75"	4" RD	7"	Bright	18	Dual Split Rear	1014018
CHRYSLER											
Crossfire 3.2L V6 AT/MT RWD 2DR	03-09	Cat-Back™	Touring	2.5"	2.25"	4.25" x 3.5" OV	7.13"	Bright	29	Dual Center Rear	1014003
300C, 300C Touring C 3.0L CRD V6 AT RWD/ AWD 4DR	05-09	Cat-Back™	S-Type	2.25"	2.25"	5" RD	16"	Bright	39	Single Split Rear	1014000
300C, 300C Touring C/TOUR 3.5L V6 AT RWD/ AWD 4DR	04-09	Cat-Back™	Touring	2.25"	2.25"	4.25" x 3.5" OV	7"	Bright	17	Single Split Rear	1014001
300C, 300C Touring C 5.7L V8 AT RWD/AWD 4DR	05-09	Cat-Back™	Touring	2.25"	2.25"	4.25" x 3.5" OV	7"	Bright	17	Single Split Rear	1014002
PT Cruiser 1.6L/2.0L/2.2L/2.4L 4 cyl incl Turbo AT/MT FWD 2&4DR & Convertible	05-07	Cat-Back™	Touring	2.25"	2.25"	3.5" RD	6.5"	Bright	8	Single Split Rear	1014028
DODGE											
Charger SXT/SE 3.5L V6 AT RWD/AWD 4DR	05-09	Cat-Back™	Touring	2.25"	2.25"	4.25" x 3.5" OV	7"	Bright	17	Single Split Rear	1014001
Charger RT 5.7L V8 AT RWD/AWD 4DR	05-09	Cat-Back™	Touring	2.25"	2.25"	4.25" x 3.5" OV	7"	Bright	17	Single Split Rear	1014002
Magnum SXT/SE 3.5L V6 AT RWD/AWD 4DR	05-09	Cat-Back™	Touring	2.25"	2.25"	4.25" x 3.5" OV	7"	Bright	17	Single Split Rear	1014001
Magnum RT 5.7L V8 AT RWD/AWD 4DR	05-09	Cat-Back™	Touring	2.25"	2.25"	4.25" x 3.5" OV	7"	Bright	17	Single Split Rear	1014002
FORD											
Mustang Ecoboost 2.3L AT/MT RWD 2DR	15-16	Cat-Back™	Touring	2.25"	2.25"	4" RD	9.5"	Bright	36	Single Split Rear	1014039
Mustang GT 4.6L V8 AT/MT RWD 2DR	05-09	Cat-Back™	Touring	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	1014019
Mustang GT 5.0L V8 AT/MT RWD 2DR incl conv	15-16	Cat-Back™	Touring	2.5"	2.5"	4" RD	9.5"	Bright	36	Single Split Rear	1014040
Mustang Shelby GT 500 4.6L V8 AT/MT RWD 2DR	05-09	Cat-Back™	Touring	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	1014019
Mustang Shelby GT 500 5.4L V8 MT RWD	07	Cat-Back™	Touring	2.5"	2.5"	4" RD	12"	Bright	36	Single Split Rear	1014019



www.borla.com 1-877 GO BORLA

www.borla.com 1-877 GO BORLA						TIP & EXIT INFO — SEE IMAGES BELOW					Part #
Model/Group	Years	Product (Details on Pg. 55)	Sound Level	Pipe Diameters		Tip Opening Size & Shape ¹	Tip Length	Tip Finish ²	Tip Style	Tip Exit	
				Primary(s)	Secondary(s)						
HUMMER											
H2 6.0L V8 AT AWD 4DR	07-10	Cat-Back™	Touring	3"	2.25"	5" RD	16"	Bright	39	Single Split Rear	1014023
MAZDA											
RX-8 1.3L 2 CYL MT RWD 4DR	03-09	Cat-Back™	Touring	3"	2.25"	4" RD	8"	Bright	3	Single Split Rear	1014015
NISSAN											
350Z 3.5L V6 280HP AT/MT RWD 2DR Coupé + Roadster	03-09	Cat-Back™	Touring	2.25"	2"	2.53" RD	4.5"	Bright	37	Single Split Rear	1014012
OPEL											
GT 2.0L Turbo 4CYL MT RWD 2DR Convertible	06-09	Cat-Back™	Touring	2.5"	2"	3.14" RD	9.75"	Bright	18	Dual Split Rear	1014016
GT 2.0L Turbo 4CYL MT RWD 2DR Convertible	10-14	Cat-Back™	Touring	2.5"	2"	3.5" x 3.28" SQ	5.38"	Bright	42	Dual Split Rear	1014021
SUBARU											
BRZ 2.0L AT/MT RWD 2DR	13-14	Cat-Back™	Touring	2"	2"	4.5" RD	5.75"	Bright	45	Dual Rear (L)	1014034
TOYOTA											
GT86 2.0L AT/MT RWD 2DR	13-14	Cat-Back™	Touring	2"	2"	4.5" RD	5.75"	Bright	45	Dual Rear (L)	1014034



**SOUND
LEVELS**
FULL DETAILS PGS. 6-7



STOCK



TOURING



S-TYPE



ATAK®

**TIP
EXITS**

ACTUAL PIPE CONTOURS
VARY BY APPLICATION



SINGLE
REAR (L)



DUAL
REAR (L)



SINGLE
REAR (R)



DUAL
REAR (R)



SINGLE
SPLIT REAR



DUAL
SPLIT REAR



DUAL
CENTER REAR



QUAD
CENTER



SINGLE
SIDE (L)



DUAL
SIDE (L)



SINGLE
SIDE (R)



DUAL
SIDE (R)



SINGLE
SPLIT SIDE

**TIP
STYLES**
FOR EXHAUST SYSTEMS ON
THESE TWO PAGES



3



6



8



17



18



29



35



36



37



39



42



45

Borla®
WE BUILD EXCITEMENT

Tip#	Description	Inlet	Outlet	Length	Installation	Part #
2	Single Round Rolled Edge	2.5"	4" RD	8"	Weld On	20235
3	Single Round Rolled Edge Angle Cut	2.25"	3.19" RD	5"	Weld On	20236
4	Single Round Rolled Angle Cut Intercooled	2.25"	3.5"	6.5"	Weld On	20237
4	Single Round Rolled Angle Cut Intercooled	3"	4.25"	4"	Weld On	20251
9	Single Round Angle Cut	2.25"	2.25" RD	6"	Set Screw Included	20106
9	Single Round Angle Cut	2.5"	2.5" RD	6"	Set Screw Included	20107
10	Single Round Angle Cut Intercooled	2.5"	3.5" RD	9"	Set Screw Included	20120
10	Single Round Angle Cut Intercooled	3"	3.5" RD	9"	Set Screw Included	20122
12	Single Round Intercooled	2"	2.5" RD	6"	Set Screw Included	20102
12	Single Round Intercooled	2.25"	2.5" RD	6"	Set Screw Included	20103
12	Single Round Intercooled	2.5"	2.5" RD	6"	Set Screw Included	20104
13	Single Square Angle Cut Intercooled	2.25"	2.5" x 2.75" SQ	6"	Set Screw Included	20115
13	Single Square Angle Cut Intercooled	2.5"	2.5" x 2.75" SQ	6"	Set Screw Included	20116
13	Single Square Angle Cut Intercooled	2.5"	2.88" x 3.38" SQ	9"	Set Screw Included	20132
14	Single Square Angle Cut Phantom	2.25"	3.38" x 3.0" SQ	6.5"	Weld On	20252
15	Single Square Intercooled	2.25"	2.5" x 2.75" SQ	6"	Set Screw Included	20112
17	Single Oval Rolled Angle Cut Lined Embossed	2.5"	4.25" x 3.5" OV	7"	Clamp Included	20155
17	Single Oval Rolled Angle Cut Lined Embossed	2.15"	3.5" x 2.75" OV	5.63"	Clamp Included	20153
18	Pair of #35 Tips				Clamp Included	See #35
19	Dual Round Rolled Angle Cut	2"	3"	12.63"	Weld On	20143
22	Pair of #9 Tips				Set Screw Included	See #9
24	Pair of #11 Tips				Weld On	See #11
25	Dual Rd Intercooled w/Y-Pipe	2.5"	3"	14"	Set Screw Included	20203
26	Dual Square Angle Cut Intercooled w/Y-Pipe	2.5"	2.88" x 3.38" SQ	14"	Set Screw Included	20233
28	Pair of #15 Tips				Set Screw Included	See #15
29	Pair of #17 Tips				Weld On	See #17
33	Turn Down/Turn Out	2"	2" RD	9"	Set Screw Included	20108
33	Turn Down/Turn Out	2.25"	2.25" RD	8.75"	Set Screw Included	20109
33	Turn Down/Turn Out	2.5"	2.5" RD	9"	Set Screw Included	20110
33	Turn Down/Turn Out	3"	3" RD	9"	Set Screw Included	20140
34	Single Rect. Rolled Angle Cut (w/two inlets)	1.78"	6.69" x 3" RE	5.63"	Weld On	20243
34	Single Rect. Rolled Angle Cut (single inlet)	2.5"	6.69" x 3" RE	5.63"	Weld On	20244
35	Single Rd Rolled Angle Cut Lined Embossed	2.5"	4" RD	6.25"	Clamp Included	20156
35	Single Rd Rolled Angle Cut Lined Embossed	2.25"	3" RD	4.75"	Clamp Included	20154
36	Single Round Rolled Angle Cut	2.25"	4" RD	12"	Weld On	20245
36	Single Round Rolled Angle Cut	3"	4" RD	14"	Weld On	20246
37	Single Round Rolled Angle Cut Phantom	2.5"	4.5" RD	7.75"	Weld On	20247
38	Single Round Rolled Angel Cut Resonated Embossed	2.25"	4" RD	12"	Weld On	20248
39	Single Round Rolled Angle Cut (w/clamp)	4"	5" RD	14"	Clamp On (18340)	20249
39	Stainless Steel Mount Clamp for 20249 (Tip #39)	4"				18340
41	Single Square Rolled Angel Cut	2.25"	3.28" x 3.5" SQ	7.88"	Weld On	20241
42	Pair of #41 Tips				Weld On	See #41
48	Single Square Rolled Angle Cut Black Chrome	2"	3.5" x 3.28" SQ	10.5"	Clamp on	20160
48	Single Square Rolled Angle Cut Black Chrome	2.25"	3.5" x 3.28" SQ	10.5"	Clamp on	20161
49	Single Round Rolled Angle Cut Black Chrome	2.78"	4" RD	14"	Weld On	20162

2

3

4

9

10

12

13

14

15

17

18

19

22

24

25

26

28

29

33

34

35

36

37

38

39

41






42

48

49

TIP STYLES

FOR UNIVERSAL TIPS LISTED ABOVE. NOTE: LENGTH OF TIPS VARIES. ACTUAL MEASUREMENTS ARE PROVIDED ABOVE.



Description	Profile	(A) Inlet Diameter	(B) Outlet Diameter	Case Size (C) (D) (E)	Un-Notched Part #	Notched Part #
PRO XS Center/Offset	Oval	2"	2"	14" x 4" x 9.5"	40344	400476
	Oval	2"	2"	14" x 4.25" x 7.88"	40657	400477
	Oval	2.25"	2.25"	14" x 4" x 9.5"	40357	400478
	Oval	2.25"	2.25"	14" x 4.25" x 7.88"	40658	400479
	Oval	2.5"	2.5"	14" x 4" x 9.5"	40358	400480
	Oval	2.5"	2.5"	14" x 4.25" x 7.88"	40659	400481
	Oval	3"	3"	14" x 4" x 9.5"	40359	400482
	Oval	2.25"	2.25"	19" x 4" x 9.5"	40664	400483
	Oval	2.5"	2.5"	19" x 4" x 9.5"	40665	400484
PRO XS Center/Dual	Oval	2.5"	2.5"	19" x 4" x 9.5"	40348	400485
	Oval	3"	2.25"	19" x 4" x 9.5"	40670	400486
	Oval	3"	2.5"	19" x 4" x 9.5"	40349	400487
PRO XS Offset/Offset	Oval	2"	2"	14" x 4" x 9.5"	40346	400488
	Oval	2.25"	2.25"	14" x 4" x 9.5"	40351	400489
	Oval	2.5"	2.5"	14" x 4" x 9.5"	40352	400490
	Oval	3"	3"	14" x 4" x 9.5"	40353	400491
PRO XS Dual In/Dual Out	Oval	2.25"	2.25"	19" x 4" x 9.5"	400287	400492
	Oval	2.5"	2.5"	19" x 4" x 9.5"	400286	400493
PRO XS Center/Center	Oval	2"	2"	14" x 4" x 9.5"	40347	400494
	Oval	2.25"	2.25"	14" x 4" x 9.5"	40363	400495
	Oval	2.5"	2.5"	14" x 4" x 9.5"	40364	400496



»SPECIALTY MUFFLERS



Borla® universal specialty mufflers are designed for supreme street performance, featuring high quality 300 Series austenitic stainless steel, all-welded construction and more for increased horsepower and torque. Independent tests prove superior flow capability.

Description	Profile	(A) Inlet Diameter	(B) Outlet Diameter	Case Size (C) (D) (E)	Un-Notched Part #	Notched Part #
S-TYPE (Round)	Round	2.5"	2.5"	10" x 5" x 5"	40842S	400497
TRANSVERSE FLOW	Oval	2.5"	Dual 2.5"	19" x 6.0" x 10.25"	40477	400498
	Oval	3"	Dual 2.5"	19" x 6.0" x 10.25"	40474	400499
HEAVY DUTY	Round	3"	3"	24" x 6.75"	400436	400500

»CLAMPS/TUBING

Description	Diameter	Radius	Length	Part #
STAINLESS SADDLE CLAMPS	2"			18220
	2.5"			18250
	3"			18300
SINGLE BOLT STAINLESS STEEL 1.25" BAND CLAMPS ACCUSEAL®	2"			18302
	2.25"			18322
	2.5"			18325
	2.75"			18327
	3"			18330
	4"			18340
STAINLESS STEEL HALF MOON CLAMPS	2.36" (60mm)			18323
	2.75" (70mm)			18328
STAINLESS BAND CLAMPS	2.25"			18003
	2.5"			18004
	2.75"			18005
	3"			18006
STAINLESS U-BENDS	2.5"	4"	8" Legs	19250
	3"	5"	8" Legs	19230
STAINLESS STRAIGHT TUBING	2.25"		5"	30325
	2.5"		5"	30350
	3"		5"	30330

»BORLA® BOOMERS

Description	Profile	Inlet Diameter	Tip	Case Size	Part #
WAITTAIL	Oval	2.25"	5" Round	14" x 8.5" x 5.5"	40061
BLOW TORCH	Oval	2.25"	4" Round	14" x 8.5" x 5.5"	40060
SPIT FIRE	Oval	2.25"	3" Dual DTM	14" x 8.5" x 5.5"	40059
ROCK-IT	Round	2.25"	4.5" Round	14" x 6.75" x 6.75"	40058
THUMPER	Oval	2.25"	4" Round	14" x 7.88" x 4.5"	40057

»HOT ROD KITS

3" PIPES ONLY

Part # 60592

- 4 45 Degree Bends
- 4 U-Bends
- 2 90 Degree Bends
- 2 5-Foot Tubing Sections
- 4 Universal Hangers

2.5" PIPES ONLY

Part # 10525

- 4 45 Degree Bends
- 4 U-Bends
- 2 90 Degree Bends
- 2 5-Foot Tubing Sections
- 4 Clamps
- 4 Universal Hangers

2.5" PIPES with MUFFLERS

Part # 10512

- 2 Turbo XL Mufflers
- 4 45 Degree Bends
- 4 U-Bends
- 2 90 Degree Bends
- 2 5 Feet Tubing Sections
- 2 3" Phantom Tailpipe Tips
- 4 Clamps
- 4 Universal Hangers



»CLEANER & POLISH

BORLA EXHAUST CLEANER & POLISH

Part # 21461

Specially formulated for stainless steel exhaust systems! Quickly cuts through layers of dulling oxides to restore original finish while adding tarnish protection.

NOTE: Not for use on Black Chrome tips.



» BORLA® XR-1® RACELINE



Borla® XR-1® Raceline products are the choice of today's hottest drag and oval track racers. Featuring a patented uninterrupted-flow design and multicore technology, Borla's XR-1® mufflers actually outflow a straight piece of pipe in repeated testing. XR-1® race products are lightweight and constructed of high-quality austenitic stainless steel for track-tough durability. They meet the strictest noise requirements and use sound-absorbing stainless steel packing to protect against burnout.

Description/Application	Type	Inlet INNER DIAMETER	Outlet OUTER DIAMETER	Primary Tube OUTER DIAMETER	Case Size	Diameter	Part #
XR-1® STAINLESS LONG TUBE HEADERS WITH “X” PIPE							
97-04 Chevy Corvette 5.7L			2.75"	1.75"			17259*
05-08 Chevy Corvette C6 6.0L/6.2L			2.75"	1.75"			17260*
09-13 Corvette C6 6.2L			2.75"	1.75"			17276*
06-13 Chevy Corvette Z06 7.0L			3"	1.75"			17261*
11-14 Ford Mustang 3.7L V6			2.25"	1.75"			17272*
05-10 Ford Mustang GT 4.6L			2.5"	1.75"			17237*
WITHOUT “X” PIPE							
10-15 Chevy Camaro SS/ZL1/1LE 6.2L V8	Requires X-Pipe 60548 + adapter		2.5"	1.75"			17249*
14-16 Chevy Corvette C7 6.2L			2.75"	1.75"			17289*
09-10 Chrysler 300C 5.7L V8			2.5"	1.75"			17256*
08-14 Chrysler 300C SRT-8 6.1L/6.4L			2.75"	1.75"			17250*
09-14 Dodge Challenger RT 5.7L V8			2.5"	1.75"			17256*
09-14 Dodge Challenger SRT-8 6.1L			2.75"	1.75"			17250*
15-16 Dodge Challenger SRT Hellcat 6.2L/SRT 392 6.4L			2.75"	1.75"			17292*
09-10 Dodge Charger RT 5.7L V8			2.5"	1.75"			17256*
08-14 Dodge Charger/Magnum SRT-8 6.1L/6.4L			2.75"	1.75"			17250*
11-14 Ford F-150 Raptor			2.75"	1.75"			17286*
05-06 Ford GT 5.4L RWD MT			3"	1.75"			17253*
11-14 Ford Mustang GT/Boss 302 5.0L			2.75"	1.75"			17263*
15-17 Ford Mustang GT 5.0L, Left hand drive only			2.75"	1.75"			17290*
07-11 Jeep Wrangler 3.8L 2+4DR			2.5"	1.625"			17251*
13-15 Porsche 991 911S/911 4S			2.5"	1.75"			17288*
XR-1® SPEC MIATA RACING SYSTEMS							
89-93 Miata Spec NA 1.6L MT	Header-Back (for more sound attenuation add 60537)			2.25"	4" RD x 20"		12665*
94-97 Miata Spec NA 1.8L MT	Header-Back (for more sound attenuation add 60537)			2.25"	4" RD x 20"		12668*
89-97 Miata Spec NA 1.6L/1.8L MT	Rear Section			2.25"	8.5" x 5.5" x 12"		60537*
99-05 Miata Spec NB 1.8L MT	Header-Back (for more sound attenuation add 60538)			2.25"	5" RD x 20"		12667*
99-05 Miata Spec NB 1.8L MT	Rear Section			2.25"	8.5" x 5.5" x 14"		60538*



BORLA® XR-1® TUNER

INSTANT
40 HP for
Mustang
EcoBoost!



Now shipping for the 2015-17 Mustang 2.3L EcoBoost (with more boosted vehicle applications coming soon), Borla's plug & play XR-1® Tuner immediately adds up to 40 horsepower, 70lb/ft. torque, and improved fuel economy while cruising.

- » Simple DIY installation.
- » Quickly enabled and disabled. Plug in at the track, unplug for the street.
- » Stealth design leaves no trace in ECU flash memory.
- » Includes stainless steel mounting bracket, all cables and easy-to-follow instructions.
- » Not affected by dealer updates to the ECU.
- » For racing only.*

Part #
253000

Coming soon for F150 EcoBoost,
Camaro Turbo & more!

NEW!




Description/Application	Type	Inlet INNER DIAMETER	Outlet OUTER DIAMETER	Primary Tube OUTER DIAMETER	Case Size	Diameter	Part #
XR-1® STAINLESS MULTICORE RACING MUFFLERS							
All full-bodied cars	Oval	3"	3"		16" x 4.25" x 7.88"		40575
	Oval	4"	4"		23" x 5.5" x 8.5"		400069
Rotary engine equipped vehicles	Oval	3"	3"		16" x 4.25" x 7.88"		400371
	Oval	3"	3"		12" x 4.25" x 7.88"		400372
	Round	3"	3"		16"	6.25"	400373
	Round	4"	4"		16"	6.25"	400374
Pre-Runner trucks	Oval	3"	3"		34" x 8.5" x 5.5"		400115
All venues requiring highest flow muffler	Round	2.5"	2.5"		14"	6.25"	400024
	Round	3.5"	3.5"		14"	6.25"	401012
	Round	3.5"	3.5"		16"	6.25"	40722
	Round	3.5"	3.5"		24"	6.25"	400261
	Round	4"	4"		16"	6.25"	40741
XR-1® STAINLESS COLLECTOR MUFFLER							
Full Chassied Cars (Accepted in NHRA, Brackets, Super Chevy, NSCA)	Shorty	2.13"	3.5"		14"	6.25"	40997
	Shorty	2.25"	4"		14"	6.75"	40976
	Shorty	2.38"	4.5"		14"	6.75"	40977
Dragsters, Altereds, Roadsters	Standard	2.25"	4"		20.5"	6.75"	40728
	Standard	2.38"	4.5"		20.5"	6.75"	40703
XR-1® STAINLESS RACING BULLET MUFFLERS							
Midgets, Mini Sprints, Dwarf Cars		2.5"	2.5"		14"	3.5"	40641

FOUR IMPORTANT REASONS RACERS WIN WITH BORLA®

1. You fear what you can't hear. Especially in any kind of breakout drag racing where you can "sneak up" on an opponent.
2. Improved driver awareness. Drivers in all forms of racing can better tell what their cars are doing.
3. No loss in performance. Fact is, in some cases Borla's patented XR-1® mufflers actually improved horsepower over a straight piece of pipe.
4. Reduced driver fatigue. Very important in many forms of competition.

High quality austenitic stainless steel construction throughout for durability and reduced weight. Fully welded assembly. No crimping.

Patented straight-thru, multi-core technology. US Patent #5,248,859



Insulated to reduce shell temperature for a cooler driver's compartment to combat fatigue.

Longer scavaging spike generates maximum power.

Proprietary hi-temperature, corrosion-resistant, sound-absorbing material and perforated core maintain low db's and protect against burnout.

Description/Application	Type	Inlet INNER DIAMETER	Outlet OUTER DIAMETER	Primary Tube OUTER DIAMETER	Case Size	Diameter	Part #
XR-1® STAINLESS SPORTSMAN RACING MUFFLERS							
All full-bodied cars	Oval	2.5"	2.5"		12" x 4.5" x 7.88"		40941
	Oval	2.5"	2.5"		16" x 4.5" x 7.88"		40942
	Oval	3"	3"		12" x 4.5" x 7.88"		40943
	Oval	3"	3"		16" x 4.5" x 7.88"		40944
	Oval	3.5"	3.5"		12" x 4.5" x 7.88"		40945
	Oval	3.5"	3.5"		16" x 4.5" x 7.88"		40946
	Oval	4"	4"		12" x 4.5" x 7.88"		40947
	Oval	4"	4"		16" x 4.5" x 7.88"		40948
All race venues requiring highest-flow muffler, space allowing	Round	3"	3"		15"	5"	40085
	Round	3.5"	3.5"		15"	5"	40086
	Round	3.5"	3.5"		8"	5"	40004S
XR-1® STAINLESS TURNDOWNS/TURNOUTS							
Deflects exhaust from valence/body panels		4"			7" length		20146



»XR-1® MARINE

XR-1® STAINLESS WET/DRY MARINE MUFFLERS

For performance boats up to 1200bhp

400262



Now adapted for marine use, BORLA's patented high-flow multicore design is found in more winning dragsters, Baja Trophy Trucks and other elite racing venues than any brand.

High quality austenitic stainless steel shell, inner cores, and sound absorbing filament, with mirror-polished finish.

High-end frequency-cancelling effect occurs as sound waves travel between multiple cores, leaving the pure "BORLA Sound of Power."

U.S. Patent # 8,439,159 B1

Unique 5" step-up design increases the flow, with standard 4" installation.



Size	Color	Part#	Size	Color	Part#	Size	Color	Part#	Size	Color	Part#	Size	Color	Part#
A. BORLA EXHAUST LOGO PATCH			D. WIREFRAME LOGO TEE (MEN'S)			F. CHECKERED LOGO TEE (MEN'S)			J. CHECKERED LOGO TEE (WOMEN'S)			K. DISTRESSED LOGO TEE (WOMEN'S)		
2" x 4"		21013	Medium	White	21288	Medium	White	21273	Small	Black	21285	Small	White	21267
B. MOTORSPORT LOGO TEE (MEN'S)			Large	White	21289	Large	White	21274	Medium	Black	21286	Medium	White	21268
Small	Black	21195	X-Large	White	21290	X-Large	White	21275	Large	Black	21312	Large	White	21269
Medium	Black	21196	Medium	Black	21291	Medium	Black	21276	Small	Black		Medium	Black	21270
Large	Black	21197	Large	Black	21292	Large	Black	21277	Medium	Black		Large	Black	21271
X-Large	Black	21198	X-Large	Black	21293	X-Large	Black	21278	Small	Red		Small	Red	21272
XX-Large	Black	21199	E. EMBROIDERED POLO (MEN'S)			Medium	Red	21303	Medium	Red		Medium	Red	21384
Small	White	21207	Small	Black	21121	Large	Red	21304	Large	Red		Large	Red	21385
Medium	White	21208	Medium	Black	21092	X-Large	Red	21305	XX-Large	Red		XX-Large	Red	21386
Large	White	21209	Large	Black	21058	G. EMBROIDERED NYLON JACKET			Small	White	21267	H. EMBROIDERED BASEBALL CAP		
X-Large	White	21210	X-Large	Black	21055	Medium	Black	21235	Medium	White	21268	Fits All	Black	21405
XX-Large	White	21211	XX-Large	Black	21090	Large	Black	21236	Large	White	21269	I. EMBROIDERED TRUCKER CAP		
C. DISTRESSED LOGO TEE (MEN'S)			Small	Red	21125	X-Large	Black	21237	Small	Black	21270	L. WIREFRAME LOGO TEE (WOMEN'S)		
Medium	Charcoal	21261	Medium	Red	21091	XX-Large	Black	21238	Medium	Black	21271	Small	White	21306
Large	Charcoal	21262	Large	Red	21059	M. BORLA® SPORT (MEN'S)			Large	Black	21272	Medium	White	21307
X-Large	Charcoal	21263	X-Large	Red	21056	Medium	Black	21235	Small	Red	21384	Large	White	21308
Medium	Black	21264	XX-Large	Red	21126	Large	Black	21236	Medium	Red	21385	Large	Black	21543
Large	Black	21265	Small	White	21122	XX-Large	Black	21237	Small	Red	21386	X-Large	Black	21544
X-Large	Black	21266	Medium	White	21123	N. BORLA® SPORT (MEN'S)			Medium	Red		XX-Large	Black	21545
Medium	Red	21359	Large	White	21060	Small	Black	21267	Large	Red		XXX-Large	Black	21546
Large	Red	21360	X-Large	White	21057	Medium	White	21268	O. BORLA® SPORT (MEN'S)					
X-Large	Red	21361	XX-Large	White	21124	Large	White	21269	Small	Black	21270			
						XX-Large	White	21125	Medium	Black	21271			
									Large	Black	21272			
									Small	Red	21384			
									Medium	Red	21385			
									Large	Red	21386			

NEW!



With faded-tone ink that feels like it's dyed into the ultra-soft 100% pre-shrunk cotton, our popular new tee is your instant "favorite old shirt."

M. BORLA® SPORT (MEN'S)

Small	Black	21541
Medium	Black	21542
Large	Black	21543
X-Large	Black	21544
XX-Large	Black	21545
XXX-Large	Black	21546

CAT-BACK™ SYSTEM



Complete systems from the catalytic converter(s) back include connection pipe(s), muffler(s), tip(s) and necessary mounting hardware.

REAR SECTION



Kits include muffler(s), tip(s) and all the necessary mounting hardware.

X-PIPE / Y-PIPE



Usually mounted after the catalytic converters, provide increased exhaust flow and sound benefits.

HEADERS



Borla® headers add power and torque while providing critical clearances and other features required by top engine builders.

1 Find the **Model** and **Year** of your vehicle within the alphabetical applications.

2 View the exhaust systems & components available for your vehicle under the **Product** column. Descriptions of Borla® exhaust products are on the left. Guides to their measurements are in the boxes below.


3 Learn how Borla® Cat-Back™ or Rear Section exhaust systems will appear and sound on your vehicle by matching the **Tip Style** numbers, **Tip Size**, **Shape** and **Length** measurements, **Tip Finish** and **Exit** descriptions, and the **Sound Level** with the images and icons found within the color panels on the page. See example below for details. Any questions? Call us at 1-877 GO BORLA.

NOTE: Borla® exhaust systems are designed as bolt-on installations. Primary and Secondary pipe measurements are provided for informational purposes only.

Primary(s)




Secondary(s)



Tip Opening



Tip Length



Black Chrome

Bright Chrome



Enter this number in the "Search" field on www.borla.com to order your exhaust parts.

Model/Group	Years	Product	Sound Level	Pipe Diameters		Tip Opening Size & Shape	Tip Length	Tip Finish	Tip Style	Tip Exit	Part #
				Primary(s)	Secondary(s)						
E82		1		1	1	1	1	1			
135i 3.0L	08-11	Cat-Back™	S-Type	2.25" (x1)	2.25" (x2)	3.5" RD	6"	Bright	18	Single Rear (R)	12655



Shows the volume level of an exhaust system's sound, relative to the stock exhaust and other Borla® sound technologies. Learn more about them on pages 6-7.



Match the Tip Style # with the images in the blue bar. NOTE: see "Tip Exit" icon for *quantity* of tips, and tip measurements for their *actual* size.



BORLA® Tennessee

Corporate / Manufacturing
500 Borla Drive, Johnson City, TN 37604
Ph: 423.979.4000 Fax: 423.979.4099

BORLA® California

Sales / Marketing / R&D / Engineering
701 Arcturus Avenue, Oxnard, CA 93033
Ph: 805.986.8600 Fax: 805.986.8940



TOLL FREE USA
877.462.6752
www.borla.com

